

International bottom trawl survey in the Mediterranean (Mediterranean)

Instruction manual

Version 5



April 2007

The MEDITS programme is conducted owing to financial support from the European Commission (DG Fish) and the participating countries.

This report does not necessarily reflect the views of the European Commission as well as the countries involved in the project. In no way it anticipates any future opinion of these bodies. Permission to copy, or reproduce the contents of this report is granted subject to citation of the source of this material.

PREAMBLE

The first version of this manual was prepared in 1994 within a co-ordination between several research Institutes from the four Mediterranean member States of the European Union. The target was to conduct a common bottom trawl survey in the Mediterranean in which all participants use the same gear and the same methodology. The manual was revised in 1995 after the 1994 survey to take methodological improvements acquired during the first survey into account. During the course of the project, several improvements were made. A new version of the manual has been established when necessary to allow for improvements follow-up. In any case, the Medits co-ordination committee has taken care that the amendments do not disrupt the consistency of the series. The third version of this manual was edited in 1999. The fourth version referred to the surveys carried out since 2000.

This fifth version is an updated of the fourth version, including the improvements adopted by the Medits group since 2005. They have been fully applied for the Medits surveys since 2005. Furthermore, the manual includes all the areas covered by the Medits surveys up to 2007.

Co-ordination of the MEDITS program (2007)

Co-ordination Committee

Jacques BERTRAND (general co-ordinator, Ifremer, France): bertrand@ifremer.fr

Arnauld SOUPLET* (Ifremer, France): arnauld.souplet@ifremer.fr

Luis GIL DE SOLA* (IEO, Spain): gildesola@ma.ieo.es

Giulio RELINI* (SIBM, Italy): biolmar@unige.it

Chrissi-Yianna POLITOU* (HCMR, Greece): c-y@ath.hcmr.gr

Steering Committee

The members of the Co-ordination Committee plus at least one representative by GFCM-GSA and by country covered by the project.

Medit strata	GSAs	Country	Area	Co-ordinator		E-mail
111	1, 2	Spain	Northern Alboran Sea	Luis GIL DE SOLA	*	gildesola@ma.ieo.es
114	3	Morocco	Southern Alboran Sea			
115	5	Spain	Balearic Islands	Enric MASSUTI		enric.Massuti@ba.ieo.es
112-113	6	Spain	Northern Spain	Mariano GARCIA		mariano.garcia@md.ieo.es
121, 131	7, 8	France	Gulf of Lions & Corsica	Arnauld SOUPLET	*	arnauld.souplet@ifremer.fr
132	9	Italy	Ligurian, North and Central Tyrrhenian Sea	Stefano DE RANIERI		cibm@cibm.it
134a-b	10	Italy	Central and Southern Tyrrhenian Sea	Maria-Teresa SPEDICATO		spedicato@coispa.it
133	11	Italy	Sardinia	Angelo CAU		cau@vaxca1.unica.it
135	15	Malte	Malta	Mark DIMECH	*	mark.dimech@gov.mt
134c	16	Italy	Strait of Sicily	Sergio RAGONESE		sergio.ragonese@iamc.cnr.it
211a-b	17	Italy	Northern Adriatic Sea	Corrado PICCINETTI		corrado.piccinetti@unibo.it
211c	17	Slovenia	Northern Adriatic Sea	Bojan MARCETA	*	Bojan.Marceta@zzrs.si
211d	17	Croatia	Northern Adriatic Sea	Nedo VRGOC	*	vrgoc@izor.hr
221e-h	18	Italy	South Adriatic Sea	Raffaele VACCARELLA		r.vaccarella@provincia.ba.it
221i	18	Albania	South Adriatic Sea	Kastriot OSMANI	*	kastriotosmani@yahoo.com
221j	18	Montenegro	South Adriatic Sea	Aleksandar JOKSIMOVIC	*	acojo@cg.ac.yu
221a-d	19	Italy	Western Ionian Sea	Angelo TURSI		a.tursi@biologia.uniba.it
222	20	Greece	Eastern Ionian Sea	Chrissi-Yianna POLITOU	*	c-y@ath.hcmr.gr
223	22	Greece	Aegean Sea (Argosaronikos)	Chrissi-Yianna POLITOU		c-y@ath.hcmr.gr
224	22	Greece	Aegean Sea (North)	Argyris KALLIANIOTIS		akallian@otenet.gr
225	22	Greece	Aegean Sea (South)	Nota PERISTERAKI		notap@her.hcmr.gr
225	23	Greece	Crete	George TSERPES		gtserpes@imbc.gr
321	25	Cyprus	Cyprus	Nicos HADJISTEPHANOY	*	nhadjistephanou@dfmr.moa.gov.cy

* National co-ordinator



Contents

INTRODUCTION	5
[1] SPECIFICATIONS OF THE SAMPLING GEAR.....	5
1.1 THE TRAWL.....	5
1.2 THE RIGGING	5
1.3 THE DOORS	5
1.4 WARP DIAMETER AND LENGTH	6
1.5 COMPLEMENTARY EQUIPMENTS.....	6
[2] SAMPLING METHODOLOGY	6
2.1 VESSEL CHARACTERISTICS	6
2.2 PERIOD OF THE SURVEY.....	6
2.3 HAULS LOCALISATION.....	6
2.4 OPERATING THE GEAR	6
2.4.1 <i>Sampling period in the day</i>	6
2.4.2 <i>Haul speed and duration</i>	7
2.4.3 <i>Haul start and end definition</i>	7
2.4.4 <i>Haul orientation</i>	7
2.4.5 <i>Managing the end of shooting operations and the start of the haul</i>	7
2.4.6 <i>Setting of the trawl on the ground</i>	7
2.4.7 <i>Trawl geometry while fishing</i>	7
2.4.8 <i>Wear of the trawl</i>	8
[3] TREATMENT OF THE CATCHES	8
3.1 SAMPLINGS	8
3.2 BIOLOGICAL PARAMETERS	8
3.2.1 <i>Measurement units</i>	8
3.2.2 <i>Sex and maturity</i>	9
3.3 OTHER PARAMETERS	9
[4] INTER-CALIBRATION OF THE WORK AT SEA.....	9
[5] DATA EXCHANGE FORMATS	9
5.1 GENERAL INFORMATION	9
5.2 FILES TYPE.....	9
5.3 FILES STRUCTURE AND INFORMATION'S CODING	10
FIGURES	11
[6] ANNEXES	19
I. CODES FOR COUNTRIES, VESSELS AND GEAR.....	20
II. STRATIFICATION SCHEME (BY STRATUM NUMBER)).....	22
III. TARGET NUMBER OF HAULS BY AREA	27
IV. CODES OF FAUNISTIC CATEGORIES. FORM TO INTRODUCE NEW SPECIES CODES	28
6.1 V. CODES FOR RECORDED SPECIES, OF THE OBSERVATIONS ON HAULS AND OF QUADRANTS	29
VI. LIST OF THE REFERENCE SPECIES	30
VII. STANDARD LENGTH FOR CRUSTACEANS AND CEPHALOPODS	31
VIII. CODE OF SEXUAL MATURITY FOR FISH	32
IX CODES OF SEXUAL MATURITY FOR CRUSTACEANS AND CEPHALOPODS	34
X. FORMAT OF THE TYPE A FILES (DATA ON THE HAUL)	36
XI. FORMAT OF THE TYPE B FILES (CATCHES BY HAUL).....	37

XII. FORMAT OF TYPE C FILES (BIOLOGICAL PARAMETERS).....	38
XIII. FORMAT OF TYPE D FILES (TEMPERATURE DATA) AND CODES FOR THE TEMPERATURE MEASURING SYSTEMS	39
XIV. FORMAT OF TYPE T FILES (LIST OF HAULS BY STRATUM).....	39
XV. FM LIST OF SPECIES CODES.....	41



Introduction

This document is the fifth version of a manual elaborated in the frame of an international project to harmonise the samplings by bottom trawling of the demersal resources in the Mediterranean Sea (MEDITS program). It is the reference document for the surveys to be conducted from 2007 onwards by the research institutes contributing in the Medits surveys on the continental shelves and slopes in the Mediterranean (Fig. 1).

The manual describes the sampling gear characteristics, the sampling methodology and the treatment of the samples. Finally it gives the specifications of the data files for data storage and exchange.

[1] Specifications of the sampling gear

1.1 The trawl

The sampling gear is a bottom trawl made of four panels. The drawing of this trawl (IFREMER reference GOC 73) is given in figure 2. This gear was calculated to be operated by a vessel with a towing power of at least 368 kW (500 ch) and 4.5 tons of bollard pull.

On the plan in figure 2 the mesh sizes are indicated in bar length. The mesh numbers in height correspond to well finished and joined netting sections; the joining mesh should then be subtracted when cutting. The numbers of mesh in width do not include the side seams and those should then be added when cutting.

The floats of the headline, which are 40, should resist to an immersion of 1300 m. Their diameter should be around 20 cm, their individual buoyancy of 2.7 kgf ($\pm 5\%$), the total buoyancy of the 40 floats being around 108 kgf ($\pm 5\%$). The 40 floats should be distributed along the headline as follow (Fig. 3 and 7): from the end of each wing, one float every 1.50 m, 5 times; then one pair of floats every 1.50 m on the whole remaining length; in the headline bosom a small adjustment of the spacing is necessary. With this number of floats the vertical opening of the trawl should reach 2.4 to 2.6 m depending on the horizontal opening.

The weighting chain of 120 kg (3×40) should be secure to the foot rope every 17 cm (with a hanging height of at most 8 cm). A supplementary chain of 15 kg (around 6.50 m and a diameter of 10 mm) should in addition been secured symmetrically on both parts of the belly bosom in the same way as the first one (garland of 17 cm in length).

1.2 The rigging

The general drawing of the rigging is given in figure 3. Various details of mounting and connection are shown in figure 4. The upper legs length is 30 m; the lower legs length is 29 m, plus the adjustment chain of 1m.

To maintain the geometry of the trawl as constant as possible two bridles length are defined according to the depth. They are given in the following table:

Depth (in meters)	10 - 200	200 - 800
Bridles length (in meters)	100	150

Accordingly with some experiment made on board the RV/L'Europe in June 2000, it is recommended to increase the bridle length to 200 m in depths deeper than 500 m. This modification is not compulsory but it can favour a better and faster contact of the trawl with the ground.

1.3 The doors

The doors are also normalised. They are of type Morgere WH S (Fig.5). The adopted doors correspond to the size number 8. The warp is shackled in the fore hole of the bracket sheet (see arrow 1 in Fig. 5). The short parts of the external crowfoot are shackled in the most back part of the backside sheets, upper and lower (see arrow 2 in Fig. 5). The length of the back-strops (shackles not included) are as follow:

- long external back-strops: 1.60 m
- short upper and lower back-strops: 0.65 m ($\pm 10\%$).

1.4 Warp diameter and length

Taking the characteristics of the trawl and the rigging into account the warps should have a diameter of 16 mm, at least of 14 mm, at most of 20 mm. The length of warps to be shot is determined by the depth. The recommended relationship between depth and warp length is given in figure 6. Although in certain peculiar circumstances some adaptations can be made to this relationship, it is recommended to respect the depth/warp length ratio as far as possible.

For the vessels which are not equipped with a device to measure the length of shot warp, it is recommended to standardise the position of the last mark on the warp, for example at the most back warp block.

1.5 Complementary equipments

The systematic use of a device to control the trawl geometry (vertical and horizontal openings, contact with the bottom) is highly recommended. The sensors should be positioned as shown in figure 7. If it is not possible, measurements of the trawl geometry should be made at various depths on board each vessel at the beginning of the survey to establish a graph. For each haul it will be noted in the data files if the indications of trawl opening are estimated or measured *in situ*.

A security device allowing to get back the trawl by the codend can be installed. As far as possible, it is recommended to secure this lazy line as shown in figure 7 and to take care of its fixations.

[2] Sampling methodology

2.1 Vessel characteristics

The vessels used for the Medits surveys might have a horse power of at least 370 kW to be able to tow the standard sampling gear (traction at ground run: 4.5 tons). It is strongly recommended that the same vessel and crew be used as much as possible every year in each area to carry out the survey series in view of reducing variations between years due to vessel effect. The list of the vessels used since the beginning of the survey series is given in **annex I**.

2.2 Period of the survey

The period of the Medits survey is centred on June (from May to July).

2.3 Hauls localisation

The hauls are positioned following a depth stratified sampling scheme with random drawing of the positions within each stratum. The number of positions in each stratum is proportional to the surface of these strata. Except in the case of peculiar problems (damages noted in previous years, etc.), the hauls are made in the same position from year to year. The decision to make a haul in a given place should not be influenced by the presence of fish shoal eventually detected with the sounder or the sonar.

The following depths are fixed in all areas as strata limits:

- 10 - 50 m,
- 50 - 100 m,
- 100 - 200 m,
- 200 - 500 m,
- 500 - 800 m.

Furthermore the strata are limited by lines more or less perpendicular to the coast, depending on the geographical characteristics of each area. The adopted stratification schemes are shown in figure 1. It is strongly recommended to strictly maintain the same scheme between years. The strata are described in **annex II**. The target number of hauls by area is given in **annex III**.

The *Posidonia sp.* grasslands are excluded from the sampling scheme and should never be trawled.

2.4 Operating the gear

2.4.1 Sampling period in the day

The hauls must be made only during daylight. The daylight period is defined as the time between 30 minutes after sunrise and 30 minutes before sunset.

2.4.2 Haul speed and duration

The standard fishing speed is 3 knots on the ground. This recommended speed is a very important target to insure the best trawl geometry. The actual speed as well as the covered distance should be monitored and recorded.

It is highlighted that a speed lower than 2.8 knots can have a negative effect on the verticality and the stability of the doors which can lie down and get stuck in the mud. A speed greater than 3.2 knots can take the trawl off the ground at great depths.

The haul duration is fixed at 30 minutes on depths less than 200 m and at 60 minutes at depths more than 200 m.

2.4.3 Haul start and end definition

The start of the haul is defined as the moment from which the trawl geometry (vertical and horizontal) is stabilised (cf. § 3.4.5.). The end of the haul is defined as the moment of the beginning of warp hauling.

2.4.4 Haul orientation

In general the hauls are made at constant depth. The depth variations during the haul should not exceed $\pm 5\%$ relatively to the initial depth. The discrepancies to this target should be recorded. In case of important difference between the depth under the vessel and the depth at which the trawl is, the recorded depth is those at which the trawl is. As far as possible and in respect of the previous constraints the hauls should be rectilinear. If for some reasons that is not possible the turning will be as wide as possible for not to disrupt the trawl geometry. In all cases the fields "PARCOU" and "DISTANCE" of the "A" data file (see § 6.2.) should be precisely documented.

2.4.5 Managing the end of shooting operations and the start of the haul

After the complete shooting of the warps and the braking of the winches a relatively high speed (5-6 knots) will be maintained for around 1 minute to allow the trawl to well draw both in length and in width.

The speed will then be strongly reduced (even to 0) during the needed time (variable depending on each vessel and each depth: for example 2-3 minutes at 500 m) in such a way that the doors reach the ground.

Once the doors are on the ground a speed lower than the normal one (2.5-2.7 knots) should be maintained to allow the trawl to get down to the ground.

Once the net is well stabilised the speed will be increased towards the standard speed (3 knots); this moment is defined as the real start of the haul.

Except some peculiar situations in which some adaptations – as small as possible – to these management would be absolutely necessary, it is recommended to respect as precisely as possible the above described procedures.

For the vessels using a device such SCANMAR the trawl can be considered as well stabilised as soon as its vertical opening is between 2 and 3 m.

For the vessels without such a device, preliminary trials will be made before the survey. These trials will target to determine, ship by ship, the time needed to correctly operate the trawl, taking the depth and the working practice of each skipper into account.

2.4.6 Setting of the trawl on the ground

It is important that the gear stay in good contact with the ground during the whole haul. This point should be checked regularly either by acoustic device during the haul, by the observation of the chains wear or by the observation of benthic organisms in the catches after the haul.

2.4.7 Trawl geometry while fishing

The trawl is designed to have a vertical opening between 2 and 3 meters at the various depths if the above mentioned adjustments are respected.

When a device like SCANMAR is used the vertical and horizontal (between the wings) opening should be checked as often as possible, once the trawl is stabilised. The average values of these two parameters (disregarding the obviously aberrant values) will be reported in the data file for each haul.

2.4.8 Wear of the trawl

It has not been foreseen any system preventing the bosom of the trawl against rubbing on the ground. It is then recommended to change the rubbing pieces of the trawl as often as needed, particularly when they have lost their initial resistance characteristics.

[3] Treatment of the catches

3.1 Samplings

On board on the vessel the catches are split into five categories (**Annex IV**):

- Category A: Fish
- Category B: Crustaceans *Decapoda* and *Stomatopoda*
- Category C: Cephalopods
- Category D: Other commercial species
- Category E: Other non commercial animal species

For each species the total weight and number of individuals is recorded

When the catch of a given species or a fraction of a given species (e.g. juveniles) is too abundant to be measured *in extenso* it seems reasonable to make a sub-sample not exceeding 100 individuals

The common coding system adopted for the complete set of species (**Annex XV**) is a RUBIN like coding system as defined in the NCC standard¹ even if this international coding system has been no longer maintained for some years. This coding system appears to be a very practical one and it would be very easy in the future to build a correspondence table with any new coding system. In respect with the NCC recommendations and as the MEDITS coding is not strictly identical to the RUBIN one (different use, species not referenced to in the RUBBIN code) the "name" of this code has been changed and is for the purpose of the MEDITS "**FM list**".

The species identifications are made according to Fisher and *al*, 1987². For the fish species not included in this work the descriptions from Whitehead *et al*, 1984³ have been used. Furthermore, a correspondence with the most updated revisions by international bodies (e.g. Fishbase⁴ for fish) is given. This review is based on the one maintained by the Ifremer's Fishery information system⁵. Nevertheless, it is underlined that the species coding has to be kept strictly identical in the data base, even if the species name has been changed.

As no zero value is included in the tables, it is important to precise the extend of species potentially recorded from the catch. Coding for this information is given in **Annex V**.

A reference list of 38 species of fish, crustaceans and cephalopods is given in **Annex VI**. For all these species the length frequencies by sex must be reported as well as the maturity stage of the gonads (see below). Since 2006, it is recommended to include all the selaciens in this group.

3.2 Biological parameters

3.2.1 Measurement units

For fish the length is ever the overall length, the tail being extended following its longer dimension. The measurement unit is the lower half centimetre.

For Crustaceans the length is measured in term of cephalo-thoracic length at the lower millimetre (**Annex VII**).

For Cephalopods the length is the mantle length at the lower half centimetre (**Annex VII**).

¹ NCC: Nordic code centre (Stockholm).

² Fisher W., M.L., Bauchaud et M. Shneider (réact.), 1987. Fiches FAO d'identification des espèces pour les besoins de la pêche (révision 1). Méditerranée et mer Noire (volumes I et II). Projet GCP/INT/422/EEC. FAO, Rome: 1530 p.

³ Whitehead P.J.P., M.L. Bauchot, J.C. Hureau, J. Nielsen, E. Tortonese, 1984. Poissons de l'Atlantique du nord-est et de la Méditerranée (3 volumes). UNESCO, Paris.

⁴ Froese R. & D. Pauly eds, 2002. FishBase. World Wide Web electronic publication. www.fishbase.org.

⁵ Woehrling D., 2004. Le référentiel taxinomique du système d'information halieutique de l'Ifremer. Ifremer, DRV/RH/DT/04-04. 12 p.

If a given team wish, for its own works, to make complementary observations on other species or of an other nature, it is kindly invited to inform the MEDITS Group (Co-ordination and Steering Committees) to eventually allow to normalise the methodology with other research teams.

3.2.2 Sex and maturity

The sex is defined following four categories: male, female, undetermined (impossible to determine it by eye) and not determine (the individual has not been examined). The sexual maturity is defined with reference to the identification keys given in **Annex VIII** for the fish and **Annex IX** for the Crustaceans and Cephalopods. For Crustaceans the maturity stages is recorded only for the females.

The individuals of hermaphrodite species being currently changing sex are qualified by the sex of whom the gonad is the more developed

3.3 Other parameters

The bottom water temperature should be recorded at the start and the end of each haul. This information is stored in an exchange file with the format defined in **Annex XIII**. The recommended sensor is the Vemco minilog TDR -5 to 35°C which records both temperature and depth. It should be fixed on the bosom head line. It is important that the clock of the computer which receives the data from the sensor is exactly set accordingly with the UT time (GMT) to have the same times as in the "A" file. The data should be recorded in one file by haul and not in one file for several hauls. The temperatures from all the hauls (beginning and end) should be kept and reported in the file of type 4 (**D**) and they should correspond to the official time of beginning and end of the haul, assuming that the trawl begins and stops to work properly at these official times.

[4] Inter-calibration of the work at sea

To try an inter-calibration of the working methods between the various vessels two possibilities are recommended: an exchange of scientist on board the vessels and where and when it could be possible a co-ordination of trawling operation, together by the two vessels, at the border of the areas covered by these two vessels respectively.

To favour the exchange of scientists one place will be reserved on board of each vessel for the eventual boarding of a scientist from another team. In addition each co-ordination group will do their best to send scientist from their own team on board of other vessels participating in the project. It is expected that the reports of these boarding help to identify eventual differences in the working methodology.

Where and when different teams are in charge of adjacent working areas, they are invited, although it seems rather difficult and time consuming, to act in concert together to try to organise some common hauls in parallel to reach an inter-calibration between the two vessels.

[5] Data exchange formats

5.1 General information

Standard formats are defined for the storage and to facilitate exchange of the data produced by the Medits surveys. The exchange files are in an ASCII format.

5.2 Files type

Four files types are defined to store and exchange the data:

Type A: Characteristics of each haul (**Annex X**)

Type B: Catch of each haul in weight, number and number by sex (**Annex XI**)

Type C: Biological parameters for the species in the reference list (length, sex, maturity) (**Annex XII**)

Type D: Temperature data (**Annex XIII**)

Type T: List of hauls by stratum (**Annex XIV**)

The files names are defined as follow:

Position	Variable	Possible values
Character 1	Files type	A (haul characteristics) B (catch by haul) C (biological parameters) D (temperature) T (list of hauls)
Character 2-3	Country	MA, ES, FR, IT, SL, HR, AL, MO, ML, GR, CY
Character 4	Area	1 to 5 for Italy, 1 to 3 for Greece, 1 to 2 for Spain, _ (underscore) for the other countries
Character 5-8	Year	2000, 2001 , etc.
Character 9	Separator	.
Character 10-12	Extension	TXT for A, B, C, D files, DAT for S and T

5.3 Files structure and information's coding

The exchange files format are described in **Annexes X to XIV**. Complementary coding tables used to fill in the data files are given in annexes referred above.

Figures




Fig. 1. General map of the area covered by the programme. Top: the GFCM GSAs, Down: the Medits strata. Coloured: areas covered by the Medits surveys.

The designations used and the presentation of cartographic data imply no line as for the juridical status of the various areas neither as for the border lines between countries.




Fig. 2. Plan of the trawl GOC 73.

Schéma de gréement du chalut GOC 73




Fig. 3. Diagram of the rigging.




Fig. 4. Various details of the rigging.




Fig. 5. Drawing of a door Morgère WHS (8).





Fig. 6. Relationship between depth and warp length for the trawl GOC 73.



The security lazy line is secured first at the fore part of the upper starboard wing and second behind the codend. Between this two points, this port is secured around every two fathoms, alongside the seam between the upper face and the lateral starboard face of the trawl.

Fig. 7. Position of the geometry sensors and drawing of the lazy line.

[6] Annexes

- I. Code of countries, vessels and gear**
- II. Stratification scheme**
- III. Target number of hauls by area**
- IV. Code of recorded species, of general observations on hauls and of quadrants**
- V. Code of faunistic categories. Form to introduce new species**
- VI. List of reference species**
- VII. Standard lengths for Crustaceans and Cephalopods**
- VIII. Codes of sexual maturity for fish**
- IX. Codes of sexual maturity for Crustaceans and Cephalopds**
- X. Format of the type A files (Data on hauls)**
- XI. Format of the type B files (Catches by haul)**
- XII. Format of the type C files (Biological parameters)**
- XIII. Format of the type D files (Temperature data)**
- XIV. Format of the type T files (List of hauls by stratum)**
- XV. FM list of species codes**

I. Codes for countries, vessels and gear

Codes for countries

Code	Country
ALB	Albania
CYP	Cyprus
ESP	Spain
FRA	France
GRC	Greece
HRV	Croatia
ITA	Italy
MAL	Malta
MAR	Morocco
MON	Montenegro
SLO	Slovenia

Vessel codes and characteristics

Vessel code	Vessel Name	Type	Lenght (m)	Tonnage (TJB)	Year	Material	Power (kW)	Warp diam (mm)	Warp length (m)
AND	Andrea	R	29.5	211	1998	aluminium	1300	14	2250
BIM	Bianca Maria	P	26.81	116	1988	wood	485	12	3000
CHA	Charif Alidrissi	R	41	397	1986	steel	808	22	3000
COR	Cornide de Saavedra	R	66.7	1524	1970	steel	1651	29	2700
DAP			0	0	0		0	0	0
DEM	Demetrios	P	27.77	78.24	1991	steel	537	12	3000
EGU	Elisa Guidotti	P	29	69	1991	bois	330	14	2500
EVA	Evangelistria	P	29.1	59.45	2000	steel	497	12	1800
FRP	Francesco Padre	P	25	88	1984	steel	660	14	3000
FUL	Fulmine	P	29	147.2	0	wood	736	14	2500
GAB			0	0	0		0	0	0
GIS			0	0	0		0	0	0
IGO	Igor	P	22.5	102	1979	iron	345	14	2500
IRO	Ioannis Rossos	P	26.3	115.75	1986	iron	368	12	3000
LEU	L'Europe	R	29.6	259.69	1993	aluminium	690	16	2700
LIB			0	0	0		0	0	0
NAU	Nautilos	P	28.4	138	1991	iron	600	14	2500
NAV	Francisco Paula Navarro	R	30.5	178	1987	wood	750	18	2200
NUS	Nuovo Splendore	P	29.45	134.51	1967	wood	685	16	2450
PAR	Kapetan Paraschos	P	26.1	85.71	1989	wood	386	12	2000
PAS			0	0	0		0	0	0
PEC	Pasquale e Cristina	P	33.06	158.77	1996	wood	923	16	2500
PRI	Principessa I	P	32	165	1995	steel	403	14	2500
ROS	Roselys	R	0	0	0	wood	0	0	0
SAN	Sant'Anna	P	32.2	197.1	1981	steel	744	14	3100

Codes for the gear

Nature	Gear	MEDITS code	Comments
Trawl	Large opening and 4 faces	GOC73	Standard for all vessels
Rigging	With legs	GC73	Standard for all vessels
Doors	Morgère WH S8	WHS8	Standard for all vessels

II. Stratification scheme (by stratum number))

GSA	Country	Stratum	Depth (m)	Surface (km ²)	Area
1	Spain	11101 a	10-50	510	Alboran Sea
1	Spain	11102 a	50-100	1951	
1	Spain	11103 a	100-200	1086	
1	Spain	11104 a	200-500	3461	
1	Spain	11105 a	500-800	4912	
2	Spain	11106 b	10-50	0	Alboran Island
2	Spain	11107 b	50-100	130	Alboran Island
2	Spain	11108 b	100-200	132	
2	Spain	11109 b	200-500	221	
2	Spain	11110 a	500-800	350	
3	Morocco	11401 a	10-50	355	West Morocco
3	Morocco	11402 a	50-100	444	
3	Morocco	11403 a	100-200	487	
3	Morocco	11404 a	200-500	3580	
3	Morocco	11405 a	500-800	1108	
3	Morocco	11406 b	10-50	878	East Morocco
3	Morocco	11407 b	50-100	1098	
3	Morocco	11408 b	100-200	938	
3	Morocco	11409 b	200-500	3507	
3	Morocco	11410 b	500-800	1446	
5	Spain	11501 a	10-50	0	West Baleares
5	Spain	11502 a	50-100	1170	West Baleares
5	Spain	11503 a	100-200	1773	
5	Spain	11504 a	200-500	1123	
5	Spain	11505 a	500-800	2030	
5	Spain	11507 b	50-100	2255	East Baleares
5	Spain	11508 b	100-200	1472	
5	Spain	11509 b	200-500	1518	
5	Spain	11510 b	500-800	1315	
6	Spain	11201 a	10-50	1130	Valenciana
6	Spain	11202 a	50-100	4095	
6	Spain	11203 a	100-200	3302	
6	Spain	11204 a	200-500	4242	
6	Spain	11205 a	500-800	3159	
6	Spain	11301 a	10-50	1896	Tramontana
6	Spain	11302 a	50-100	7219	
6	Spain	11303 a	100-200	3587	
6	Spain	11304 a	200-500	2477	
6	Spain	11305 a	500-800	1399	
7	France	12101 a	10-50	1482	West Gulf of Lions
7	France	12102 a	50-100	3911	
7	France	12103 a	100-200	819	
7	France	12104 a	200-500	709	
7	France	12105 a	500-800	660	
7	France	12106 b	10-50	696	East Gulf of Lions
7	France	12107 b	50-100	2610	
7	France	12108 b	100-200	1734	
7	France	12109 b	200-500	653	
7	France	12110 b	500-800	586	
8	France	13101 a	10-50	0	North East Corsica
8	France	13102 a	50-100	521	North East Corsica
8	France	13103 a	100-200	234	
8	France	13104 a	200-500	920	
8	France	13105 a	500-800	867	

GSA	Country	Stratum	Depth (m)	Surface (km ²)	Area
8	France	13106 b	10-50	0	South East Corsica
8	France	13107 b	50-100	524	South East Corsica
8	France	13108 b	100-200	153	
8	France	13109 b	200-500	383	
8	France	13110 b	500-800	960	
9	Italy	13201 a	10-50	657	North Ligurian Sea
9	Italy	13202 a	50-100	729	
9	Italy	13203 a	100-200	658	
9	Italy	13204 a	200-500	1737	
9	Italy	13205 a	500-800	2093	
9	Italy	13206 b	10-50	2053	East Ligurian Sea
9	Italy	13207 b	50-100	1598	
9	Italy	13208 b	100-200	3186	
9	Italy	13209 b	200-500	2449	
9	Italy	13210 b	500-800	879	
9	Italy	13211 c	10-50	945	North Tyrrhenian Sea
9	Italy	13212 c	50-100	1506	
9	Italy	13213 c	100-200	2732	
9	Italy	13214 c	200-500	2828	
9	Italy	13215 c	500-800	3071	
9	Italy	13216 d	10-50	2107	Central Tyrrhenian Sea
9	Italy	13217 d	50-100	2159	
9	Italy	13218 d	100-200	4302	
9	Italy	13219 d	200-500	3573	
9	Italy	13220 d	500-800	3148	
10	Italy	13401 a	10-50	1194	South East Tyrrhenian Sea
10	Italy	13402 a	50-100	1224	
10	Italy	13403 a	100-200	2095	
10	Italy	13404 a	200-500	3238	
10	Italy	13405 a	500-800	5248	
10	Italy	13406 b	10-50	622	South West Tyrrhenian Sea
10	Italy	13407 b	50-100	1003	
10	Italy	13408 b	100-200	1224	
10	Italy	13409 b	200-500	1966	
10	Italy	13410 b	500-800	2441	
11	Italy	13301 a	10-50	822	South East Sardinia
11	Italy	13302 a	50-100	382	
11	Italy	13303 a	100-200	351	
11	Italy	13304 a	200-500	589	
11	Italy	13305 a	500-800	502	
11	Italy	13306 b	10-50	910	North East Sardinia
11	Italy	13307 b	50-100	1592	
11	Italy	13308 b	100-200	839	
11	Italy	13309 b	200-500	765	
11	Italy	13310 b	500-800	855	
11	Italy	13311 c	10-50	627	North Sardinia
11	Italy	13312 c	50-100	796	
11	Italy	13313 c	100-200	512	
11	Italy	13314 c	200-500	500	
11	Italy	13315 c	500-800	242	
11	Italy	13316 d	10-50	431	North West Sardinia
11	Italy	13317 d	50-100	541	
11	Italy	13318 d	100-200	896	
11	Italy	13319 d	200-500	471	
11	Italy	13320 d	500-800	335	
11	Italy	13321 e	10-50	1096	West Sardinia
11	Italy	13322 e	50-100	446	

GSA	Country	Stratum	Depth (m)	Surface (km ²)	Area
11	Italy	13323 e	100-200	927	
11	Italy	13324 e	200-500	412	
11	Italy	13325 e	500-800	260	
11	Italy	13326 f	10-50	783	South West Sardinia
11	Italy	13327 f	50-100	987	
11	Italy	13328 f	100-200	2335	
11	Italy	13329 f	200-500	1620	
11	Italy	13330 f	500-800	1041	
11	Italy	13331 g	10-50	705	South Sardinia
11	Italy	13332 g	50-100	350	
11	Italy	13333 g	100-200	768	
11	Italy	13334 g	200-500	1060	
11	Italy	13335 g	500-800	1227	
15	Malta	13501 a	10-50	152	Malta
15	Malta	13502 a	50-100	1473	
15	Malta	13503 a	100-200	3076	
15	Malta	13504 a	200-500	3353	
15	Malta	13505 a	500-800	2526	
16	Italy	13411 c	10-50	2979	Strait of Sicily
16	Italy	13412 c	50-100	5943	
16	Italy	13413 c	100-200	5565	
16	Italy	13414 c	200-500	6972	
16	Italy	13415 c	500-800	9927	
17	Italy	21101 a	10-50	17300	North Adriatic Sea
17	Italy	21102 a	50-100	8200	
17	Italy	21103 a	100-200	0	
17	Italy	21104 a	200-500	0	
17	Italy	21105 a	500-800	0	
17	Italy	21106 b	10-50	4700	Central Adriatic Sea
17	Italy	21107 b	50-100	10350	
17	Italy	21108 b	100-200	14950	
17	Italy	21109 b	200-500	3900	
17	Italy	21110 b	500-800	950	
17	Slovenia	21111 c	10-50	184	North Adriatic-Slovenia
17	Slovenia	21112 c	50-100	0	
17	Slovenia	21113 c	100-200	0	
17	Slovenia	21114 c	200-500	0	
17	Slovenia	21115 c	500-800	0	
17	Croatia	21116 d	10-50	7308	North East Adriatic-Croatia
17	Croatia	21117 d	50-100	14785	
17	Croatia	21118 d	100-200	7225	
17	Croatia	21119 d	200-500	2409	
17	Croatia	21120 d	500-800	0	
18	Italy	22121 e	10-50	261	South West Adriatic Sea
18	Italy	22122 e	50-100	509	
18	Italy	22123 e	100-200	1348	
18	Italy	22124 e	200-500	332	
18	Italy	22125 e	500-800	860	
18	Italy	22126 f	10-50	329	South West Adriatic Sea
18	Italy	22127 f	50-100	599	
18	Italy	22128 f	100-200	1809	
18	Italy	22129 f	200-500	472	
18	Italy	22130 f	500-800	350	
18	Italy	22131 g	10-50	290	South West Adriatic Sea
18	Italy	22132 g	50-100	689	
18	Italy	22133 g	100-200	1214	
18	Italy	22134 g	200-500	260	

GSA	Country	Stratum	Depth (m)	Surface (km ²)	Area
18	Italy	22135 g	500-800	336	
18	Italy	22136 h	10-50	1702	South West Adriatic Sea
18	Italy	22137 h	50-100	1307	
18	Italy	22138 h	100-200	1407	
18	Italy	22139 h	200-500	707	
18	Italy	22140 h	500-800	492	
18	Albania	22141 i	10-50	568	South East Adriatic-Albania
18	Albania	22142 i	50-100	2231	
18	Albania	22143 i	100-200	2186	
18	Albania	22144 i	200-500	1840	
18	Albania	22145 i	500-800	1910	
18	Montenegro	22146 j	10-50	280	South Adriatic-Montenegro
18	Montenegro	22147 j	50-100	1100	
18	Montenegro	22148 j	100-200	1700	
18	Montenegro	22149 j	200-500	1150	
18	Montenegro	22150 j	500-800	770	
19	Italy	22101 a	10-50	412	North-Western Ionian Sea (East Sicily)
19	Italy	22102 a	50-100	377	
19	Italy	22103 a	100-200	334	
19	Italy	22104 a	200-500	650	
19	Italy	22105 a	500-800	641	
19	Italy	22106 b	10-50	326	North-Western Ionian Sea (South Calabria)
19	Italy	22107 b	50-100	225	
19	Italy	22108 b	100-200	257	
19	Italy	22109 b	200-500	939	
19	Italy	22110 b	500-800	1370	
19	Italy	22111 c	10-50	599	North-Western Ionian Sea (North Calabria)
19	Italy	22112 c	50-100	321	
19	Italy	22113 c	100-200	393	
19	Italy	22114 c	200-500	1327	
19	Italy	22115 c	500-800	1190	
19	Italy	22116 d	10-50	787	North-Western Ionian Sea (Apulia)
19	Italy	22117 d	50-100	778	
19	Italy	22118 d	100-200	1680	
19	Italy	22119 d	200-500	1439	
19	Italy	22120 d	500-800	2302	
20	Greece	22201 a	10-50	2916	East Ionian Sea
20	Greece	22202 a	50-100	4365	
20	Greece	22203 a	100-200	2536	
20	Greece	22204 a	200-500	3158	
20	Greece	22205 a	500-800	3848	
22	Greece	22301 a	10-50	2467	Argosaronikos
22	Greece	22302 a	50-100	587	
22	Greece	22303 a	100-200	7143	
22	Greece	22304 a	200-500	6074	
22	Greece	22305 a	500-800	8645	
22	Greece	22401 a	10-50	8645	North Aegean Sea
22	Greece	22402 a	50-100	8489	
22	Greece	22403 a	100-200	15823	
22	Greece	22404 a	200-500	19774	
22	Greece	22405 a	500-800	15426	
22	Greece	22501 a	10-50	4918	South Aegean Sea (encl. GSA 23: Crete)
22	Greece	22502 a	50-100	4090	
22	Greece	22503 a	100-200	13269	
22	Greece	22504 a	200-500	18100	
22	Greece	22505 a	500-800	22224	
25	Cyprus	32101 a	10-50	796	Cyprus

GSA	Country	Stratum	Depth (m)	Surface (km ²)	Area
25	Cyprus	32102	a	50-100	717
25	Cyprus	32103	a	100-200	918
25	Cyprus	32104	a	200-500	2245
25	Cyprus	32105	a	500-800	6430

III. Target number of hauls by area

Country	GSA	Strata	Surface (km ²)	No Hauls	Area
Spain	1, 2	111	12753	46	Northern Alboran Sea
Morocco	3	114	13841	63	Southern Alboran Sea
Spain	5	115	12656	60	Balearic Islands
Spain	6	112-113	32506	92	Northern Spain
France	7, 8	121, 131	18422	95	Gulf of Lions & Corsica
Italy	9	132	42410	120	Ligurian, North and Central Tyrrhenian Sea
Italy	10	134a-b	20255	70	Central and Southern Tyrrhenian Sea
Italy	11	133	26975	98	Sardinia
Malta	15	135	10580	45	Malta
Italy	16	134c	31386	120	Strait of Sicily
Italy	17	211a-b	60350	121	Northern Adriatic Sea
Slovenia	17	211c	184	2	Northern Adriatic Sea
Croatia	17	211d	31727	60	Northern Adriatic Sea
Italy	18	221e-h	15273	58	Southern Adriatic Sea
Albania	18	221i	8735	40	Southern Adriatic Sea
Montenegro	18	221j	5000	20	Southern Adriatic Sea
Italy	19	221a-d	16347	70	North-Western Ionian Sea
Greece	20	222	16823	32	Eastern Ionian Sea
Greece	22	223	24916	21	Aegean Sea (Argosaronikos)
Greece	22	224	68157	65	Aegean Sea (North)
Greece	22	225	62601	61	Aegean Sea (South)
Cyprus	25	321	11106	26	Cyprus

IV. Codes of faunistic categories. Form to introduce new species codes

Codes of faunistic categories (Position 18 in the file 2)

MEDITS code	Nature	Comments
A	Fish	
B	Crustaceans	
C	Cephalopods	
D	Other commercial species	
E	Other animal species but not commercial	

Form to introduce new species codes

Date:

Laboratory:.....

Regional co-ordinator:.....

Note. For further information on codes, see Annexe XII

V. Codes for recorded species, of the observations on hauls and of quadrants

Codes of recorded species (Position 83 in the file 1)


MEDITS code	Nature	Comments
0	No standard species recorded	
1	Only the species of the reference list are recorded	See Annex VI
2	The species of the reference list plus some others are recorded	
3	All the caught species are recorded	See Annex XV
4	Species from a national list	

Coding of the observations (Position 109 in the file 1)

Meditis code	Nature	Comments
0	No problem	
1	Slight plugging of the net	
2	Heavy plugging of the net	
3	High abundance of jellyfish	
4	High abundance of plants in the net	
5	Tears of the net	
6	High abundance of benthos	
7		
8		
9	Other	

Coding of the quadrants (Positions 38 and 60 in the file 1)

Greenwich Meridian



VI. List of the reference species

Scientific name	Date¹	CODE	Common name	
			Français	English
<i>Aspitrigla cuculus</i>	1998	ASPI CUC	Grondin rouge	Red gurnard
<i>Boops boops</i>	2006	BOOPBOO	Bogue	Bogue
<i>Citharus linguatula</i>	1994	CITH MAC	Feuille	Spotted flounder
<i>Eutrigla gurnardus</i>	1994	EUTR GUR	Grondin gris	Grey gurnard
<i>Galeus melastomus</i>	1998	GALU MEL	Chien espagnol	Blackmouth catshark
<i>Helicolenus dactylopterus</i>	1994	HELI DAC	Rascasse de fond	Rockfish
<i>Lepidorhombus boscii</i>	1994	LEPM BOS	Cardine à quatre taches	Four-spotted megrim
<i>Lophius budegassa</i>	1994	LOPH BUD	Baudroie rousse	Black-bellied angler
<i>Lophius piscatorius</i>	1994	LOPH PIS	Baudroie commune	Angler
<i>Merluccius merluccius</i>	1994	MERL MER	Merlu commun	European hake
<i>Micromesistius poutassou</i>	1994	MICM POU	Merlan bleu	Blue whiting
<i>Mullus barbatus</i>	1994	MULL BAR	Rouget-barbet de vase	Red mullet
<i>Mullus surmuletus</i>	1994	MULL SUR	Rouget-barbet de roche	Striped red mullet
<i>Pagellus acarne</i>	1994	PAGE ACA	Pageot acarné	Axillary seabream
<i>Pagellus bogaraveo</i>	1994	PAGE BOG	Dorade rose	Blackspot seabream
<i>Pagellus erythrinus</i>	1994	PAGE ERY	Pageot commun	Common pandora
<i>Sparus pagrus</i>	> 1996	SPAR PAG	Pagre commun	Common seabream
<i>Phycis blennoides</i>	1994	PHYI BLE	Phycis de fond	Greater forkbeard
<i>Raja clavata</i>	1994	RAJA CLA	Raie bouclée	Thornback ray
<i>Scyliorhinus canicula</i>	1998	SCYO CAN	Petite roussette	Smallspotted catshark
<i>Solea vulgaris</i>	1994	SOLE VUL	Sole commune	Common sole
<i>Spicara flexuosa</i>	1994	SPIC FLE	Gerle	Picarel
<i>Spicara smaris</i>	1998	SPIC SMA	Picarel	Picarel
<i>Trachurus mediterraneus</i>	1994	TRAC MED	Chinchard à queue jaune	Mediterranean horse mackerel
<i>Trachurus trachurus</i>	1994	TRAC TRA	Chinchard d'Europe	Atlantic horse mackerel
<i>Trigla lucerna</i>	2006	TRIGLUC	Grondin-perlon	Tub gurnard
<i>Trigloporus lastoviza</i>	1998	TRIP LAS	Grondin camard	Streaked gurnard
<i>Trisopterus minutus capelanus</i>	1994	TRIS CAP	Capelan	Poor-cod
<i>Zeus faber</i>	1994	ZEUS FAB	Saint-Pierre	John dory
<i>Selaciens²</i>	2006			
<i>Aristaeomorpha foliacea</i>	1994	ARIS FOL	Gambon rouge	Giant red shrimp
<i>Aristeus antennatus</i>	1994	ARIT ANT	Crevette rouge	Blue and red shrimp
<i>Nephrops norvegicus</i>	1994	NEPR NOR	Langoustine	Norway lobster
<i>Parapenaeus longirostris</i>	1994	PAPE LON	Crevette rose du large	Deep-water pink shrimp
<i>Eledone cirrhosa</i>	1994	ELED CIR	Poulpe blanc	Horned octopus
<i>Eledone moschata</i>	1997	ELED MOS	Elédone musquée	Musky octopus
<i>Illex coindetti</i>	1994	ILLE COI	Encornet rouge	Broadtail squid
<i>Loligo vulgaris</i>	1994	LOLI VUL	Encornet	European squid
<i>Octopus vulgaris</i>	1994	OCTO VUL	Pieuvre	Common octopus
<i>Sepia officinalis</i>	1994	SEPI OFF	Seiche commune	Common cuttlefish

¹ Year in which the species was introduced in the list (or removed if the year is preceded by >)

² It is recommended to carry out the observations referring to this list to all the selacian species in the GSAs where it is technically possible. To allow coherent analyses of the results, it is highlighted that the decision to enlarge or not biological observations on selaciens must be applied consistently during all the surveys.


Ref. Common names: Fischer W., M.L. Bauchot, M. Schneider (rééditeurs), 1987. Fiches FAO d'identification des espèces pour les besoins de la pêche. (Révision 1). Méditerranée et Mer Noire Zone de pêche 37. Rome, FAO, vol 1 et 2, 1530 p.

VII. Standard length for Crustaceans and Cephalopods**Crustaceans**



Lct: cephalo-thoracic length

**Cephalopods octopoda**

LM: mantle length

**Cephalopods decapoda**

LM: mantle length



VIII. Code of sexual maturity for fish

bony fish

SEX	GONAD ASPECT	MATURATION STATE	STAGE	MEDITS
U	Sex not distinguished by naked eye. Gonads very small and translucent, almost transparent. Sex undetermined.	UNDETERMINED	0	0
F	Small pinkish and translucent ovary shorter than 1/3 of the body cavity. Eggs not visible by naked eye.	IMMATURE = VIRGIN	1	1
M	Thin and whitish testis shorter than 1/3 of the body cavity.			
F	Small pinkish/reddish ovary shorter than 1/2 of the body cavity. Eggs not visible by naked eye.	VIRGIN-DEVELOPING *	2a	2
M	Thin whitish testis shorter than 1/2 of the body cavity.			
F	Pinkish-reddish/reddish-orange and translucent ovary long about 1/2 of the body cavity. Blood vessels visible. Eggs not visible by naked eye.	RECOVERING *	2b	2
M	Whitish/pinkish testis, more or less symmetrical, long about 1/2 of the body cavity.			
F	Ovary pinkish-yellow in colour with granular appearance, long about 2/3 of the body cavity. Eggs are visible by naked eye through the ovarian tunica, which is not yet translucent. Under light pressure, eggs are not expelled.	MATURING	2c	2
M	Whitish to creamy testis long about 2/3 of the body cavity. Under light pressure, sperm is not expelled.			
F	Ovary orange-pink in colour, with conspicuous superficial blood vessels, long from 2/3 to full length of the body cavity. Large transparent, ripe eggs are clearly visible and could be expelled under light pressure. In more advanced conditions, eggs escape freely.	MATURE/SPAwner	3	3
M	Whitish-creamy soft testis long from 2/3 to full length of the body cavity. Under light pressure, sperm could be expelled. In more advanced conditions, sperm escapes freely.			
F	Reddish ovary shrunk to about 1/2 length of the body cavity. Flaccid ovarian walls; ovary may contain remnants of disintegrating opaque and/or translucent eggs.	SPENT	4a	4
M	Bloodshot and flabby testis shrunken to about 1/2 length of the body cavity.			
F	Pinkish and translucent ovary long about 1/3 of the body cavity. Eggs not visible by naked eye.	RESTING *	4b	4
M	Whitish/pinkish testis, more or less symmetrical, long about 1/3 of the body cavity.			

Adult specimens

* : WARNING ! Be careful. These stages could be confused each other.

Elasmobranchs (oviparous)

SEX	GONAD ASPECT	MATURATION STATE	STAGE	MEDITS
N	The specimens aren't sexed.	NOT DETERMINED	0	0
F	Ovary is barely discernible with small isodiametric eggs. Distal part of oviducts is thick-walled and whitish. The nidamental glands are less evident.	IMMATURE / VIRGIN	1	1
M	Claspers are small and flaccid and do not reach the posterioir edge of the pelvic fins. Spermducts not differentiated. Testis small and narrow .			
F	Whitish and/or few yellow maturing eggs are visible in the ovary. The distal part of oviducts (uterus) is well developed but empty. The nidamental glands are small.	MATURING	2	2
M	Claspers are larger, but skeleton still flexible. They extend to the posterioir edge of the pelvic fins. Spermducts well developed eventually beginning to meander.			
F	Ovaries contain yellow eggs (large yolk eggs). The nidamental glands are enlarged and oviducts are distended.	MATURE	3a	3
M	Claspers extends well beyond the posterior edge of the pelvic fin and their internal structure is generally hard and ossified. Testis greatly enlarged. Spermducts meandering over almost their entire length.			
F	Ovary walls transparent. Oocytes of different sizes, white or yellow. Nidamental glands large. Egg-cases more or less formed in the oviducts (Extruding Stage).	MATURE/EXTRUDING-ACTIVE	3b	
M	Clasper longer than tips of posterior pelvic fin lobes, skeleton hardened with axial cartilages hardened and pointed. Spermducts largely. Sperm flowing on pressure from cloaca (Active Stage).			
F	Ovary walls transparent. Oocytes of different sizes, white or yellow. Oviducts appear much enlarged, collapsed and empty. The nidamental glands diameter are reducing.	RESTING	4	4
M	Clasper longer than tips of posterior pelvic fin lobes, skeleton hardened with axial cartilages still hardened. Spermducts empty and flaccid.			



Adult specimens

IX Codes of sexual maturity for Crustaceans and Cephalopods

Crustaceans

SEX	REPRODUCTIVE APPARATUS ASPECT	COLOURING OF FRESH OVARY	MATURATION STATE	STAGE	MEDITS
U	Sex not distinguished by naked eye. Sex undetermined	translucid	UNDETERMINED	0	0
F	Ovary hardy visible in transparency. After dissection of the tegument ovary is small and lobes are flaccid, stringy and poorly developed. <i>A. foliacea</i> and <i>A. antennatus</i> no sphermatophores on thelycum.	Whitish or traslucid	IMMATURE = VIRGIN *	1	1 FEMALE
M	Petasma is not much visible, and there are not spermatic masses (emi-spermatophores) on the seminal ammpullae, located on side of the V pair of pereiopods. <i>A. foliacea</i> and <i>A. antennatus</i> : long rostrum.				
F	Ovary status to develop. Cephalic and lateral lobes are small but distinguishable by naked eye. Abdominal extension are thin and just visible.				
M	Petasma appears visible and nearly or completely joined, but there are no spermatic masses in the seminar amppullae. <i>A. foliacea</i> & <i>A. antennatus</i> : long or intermediate rostrum.	<i>A. foliacea</i> : flesh coloured; <i>A. antennatus</i> : Ivory coloured with orange pink-violet dotting. <i>N. norvegicus</i> : cream. <i>P. longirostris</i> : cream orange.	VIRGIN DEVELOPING **	2a	
F	Ovary status to re-develop. Cephalic and lateral lobes are small but distinguishable by naked eye. Abdominal extension are thin and just visible. Occasionally presence of spermatophores in <i>A. foliacea</i> and <i>A. antennatus</i> .	<i>A. foliacea</i> : flesh coloured; <i>A. antennatus</i> : Ivory coloured with orange pink-violet dotting. <i>N. norvegicus</i> : cream. <i>P. longirostris</i> : cream orange.	RECOVERING**	2b	
M	Petasma appears completely joined, but there are no spermatic masses in the seminar amppullae. <i>A. foliacea</i> & <i>A. antennatus</i> : short rostrum.				
F	Ovary developed and occupies almost entirely the dorsal portion. The cephalic and lateral lobes are much developed and have a turgid consistence.	<i>A. foliacea</i> : light and dark grey; <i>A. antennatus</i> : lilla; <i>N. norvegicus</i> : light green; <i>P. longirostris</i> : light green or grey green.	MATURING OR ALMOST MATURE	2c	
M					
F	Turgid ovary extends to the whole dorsal portion, covery the organs below. Lobes and extensions well developed, in particular the abdominal extention are much evident. Oocytes well visible.	<i>A. foliacea</i> : black; <i>A. antennatus</i> : violet; <i>N. norvegicus</i> : dark grey; <i>P. longirostris</i> : brigh green or olive green.	MATURE	2d	
M	Petasma is perfectly visible and completely joined. Spermatic masses in seminar amppullae. <i>A. foliacea</i> & <i>A. antennatus</i> : small rostum.				
F	Resting ovary. Presence of spermatophores in <i>A. foliacea</i> and <i>A. antennatus</i> .	Uncoloured.	RESTING ADULT*	2e	
F (<i>N. norvegicus</i>)	Eggs on pleiopods		BERRIED	3	3 <i>N. norvegicus</i> , FEMALE

Adult specimens

*: ** : WARNING ! Be careful.These stages could be confused each other.

Cephalopods

SEX	REPRODUCTIVE APPARATUS ASPECT	EGGS SIZE (mm)	SPERMATOPORES DEVELOPMENT	MATURATION STATE	STAGE	MEDITS
U	Sex not distinguished by naked eye. Sex undetermined.	Total absence of eggs.	Total absence of spermatophores.	UNDETERMINED	0	0
F	Small and translucent Nidamental Glands (NG) / Oviductal Glands (OG). Ovary is semi-transparent, stringy and lacking granular structure Small semi-transparent NG / OG. Oviduct meander not visible.	<i>L. vulgaris & I. coindetii:</i> no eggs <i>S.officinalis:</i> $\phi < 2\text{mm}$ <i>E. moschata:</i> $\phi < 4\text{mm}$ <i>E. cirrhosa</i> $\phi < 2\text{mm}$ <i>O. vulgaris</i> $\phi < 1\text{mm}$	Total absence of spermatophores	IMMATURE = VIRGIN	1	1
M	Testis small. Spermatophoric complex (SC) semi-transparent with no visible Vas deferens. Penis appears as a small prominence of SC.					
F	NG / OVG enlarged. NG covering some internal organs. Whitish ovary with granular structure clearly visible, not reaching the posterior half of the mantle cavity. Oviduct meander clearly visible.	Very small eggs	Absence of spermatophores	DEVELOPING	2a	
M	Enlarged testis with structure not clearly visible. The Vas deferens whitish or white and the spermatophoric organ with white streak.					
F	Large NG covering the viscera below. Ovary occupies the whole posterior half of mantle cavity, containing reticulated oocytes of all sizes tightly packed and probably a few ripe ova at its proximal part. Oviducts fully developed but empty.	<i>L. vulgaris & I. coindetii:</i> maturing eggs visible by naked eye. <i>S.officinalis:</i> $2,1\text{mm} < \phi < 4\text{mm}$ <i>E. moschata:</i> $4\text{mm} < \phi < 11\text{mm}$ <i>E. cirrhosa:</i> $2\text{mm} < \phi < 5\text{mm}$ <i>O. vulgaris:</i> $1\text{mm} < \phi < 2\text{mm}$	<i>L. vulgaris, I. coindetii</i> and <i>S.officinalis</i> : few immature spermatophores in Needham's sac. <i>E. moschata, E. cirrhosa, O. vulgaris</i> : few spermatophores, barely developed and not functional	MATURING	2b	2
M	The Vas deferens white, meandering, enlarged. The Needham's sac (SS) with structureless whitish particles inside. Normally the Needham's sac is without functional spermatophores but sometimes some immature/abortive ones could occur. The testis tight, crispy, with visible structure.					
F	Large NG as previously. Ovary containing higher percentage of large reticulated eggs and some large ripe ova with smooth surface. In Teuthoidea ripe ova in oviducts.	<i>L. vulgaris & I. coindetii:</i> amber-colored and isodiametric eggs in oviducts and in part of the ovary ($\phi = 2\text{mm}$ in <i>Loligo</i> and $\phi = 1\text{mm}$ in <i>Illex</i>). <i>S.officinalis</i> : medium eggs ($4,1\text{mm} < \phi < 6,0\text{mm}$) and big eggs ($6,1\text{mm} < \phi < 8\text{mm}$) <i>E. moschata</i> : $\phi > 11\text{mm}$ (striped eggs). <i>E. cirrhosa</i> : $\phi > 5\text{mm}$ <i>O. vulgaris</i> : $\phi > 2\text{mm}$	Well developed spermatophores	MATURE	3a	3
M	Testis as before. Spermatophores packed in the Needham's sac.					
F	NG/OG large but soft and runny. Ovary shranked and flaccid, with only immature oocytes attached to the central tissue and a few loose large ova in the coelom. In Teuthoidea oviduct may contain some mature ova but is no longer packed.	Few large ova	Disintegrating spermatophores	SPENT	3b	
M	Disintegrating spermatophores in the Needham's sac and the penis.					



Adult specimens

X. Format of the type A files (Data on the haul)

Code)	Name	Position	Type*	Range	Comments
TYPENR	Type of file	1 -	2 2A	TA	Fixed value
PAYS	Country	3 -	5 3A	See Annexe I	ISO code
BATEAU	Vessel	6 -	8 3A	See Annexe I	MEDITS code
ENGIN	Gear	9 -	13 5A	See Annexe I	MEDITS code
GREEMENT	Rigging	14 -	17 4A	See Annexe I	MEDITS code
PANNEAUX	Doors	18 -	21 4A	See Annexe I	MEDITS code
AN	Year	22 -	25 4N		Ex: 2000, 2001
MOIS	Month	26 -	27 2N	1 to 12	
JOUR	Day	28 -	29 2N	1 to 28/29/30/31	
NOTRAI	Haul number	30 -	32 3N	1 to 999	One series by vessel/year
FERCHA	Codend closing	33	33 1A	S, C	S: without; C: controlled
HDEB	Shooting time	34 -	37 4N	0 à 2400	In UT Ex: 7 h 25 min > 725.
QUADEB	Shooting quadrant	38	38 1N	1, 3, 5, 7	See Annexe X
LATDEB	Shooting latitude	39 -	45 7N	3400 to 4600	Ex: 36° 40,22' > 3640,22.
LGNDEB	Shooting longitude	46 -	52 7N	0 to 2900	Ex: 4° 19,84' > 419,84.
PRODEB	Shooting depth	53 -	55 3N	0, 10 to 800	At the trawl position, in meters; unknown: 0
HFIN	Hauling time	56 -	59 4N	0 to 2400	In UT Ex: 7 h 25 min > 725.
QUAFIN	Hauling Quadrant	60	60 1N	1, 3, 5, 7	See Annexe X
LATFIN	Hauling latitude	61 -	67 7N	3400 to 4600	Ex: 36° 40,22' > 3640,22.
LGNFIN	Hauling longitude	68 -	74 7N	0 to 2900	Ex: 4° 19,84' > 419,84.
PROFIN	Hauling depth	75 -	77 3N	0, 10 à 800	At the trawl position, in meters; unknown: 0
DUREE	Haul duration	78 -	79 2N	5 to 90	In minutes
VALID	Validity	80	80 1A	V, I	V: valid; I: invalid. (1)
PARCOU	Course	81 -	81 1A	R, N	R: rectilinear N: not rectilinear
ESPERNR	Recorded species	82 -	83 2N	See Annex IV	MEDITS code
DIST	Distance	84 -	87 4N	1000 to 9999	Distance over ground in meters
OUVER	Vertical opening of the trawl	88 -	90 3N	10 to 99	In decimetres
ECAIL	Wing opening	91 -	93 3N	50 to 250	In decimetres
PRGÉO	Geometrical precision	94	94 1A	M, E	M: measured; E: estimated.
LONBRA	Bridles length	95 -	97 3N	100 to 200	In meters
LONFUN	Warp length	98 -	101 4N	100 to 2200	In meters
DIAFUN	Warp diameter	102 -	103 2N	10 to 30	In millimetres
STAHYDRO	Hydrological station	104 -	108 5A		National coding
Observ	Observations	109 -	109 1N	1 to 9	MEDITS code (Annex IV)

* All numerical fields (N) are right justified; all alphanumeric fields (A)fields are left justified

Note:

(1) For the invalid hauls (I), no information on species is needed.

XI. Format of the type B files (Catches by haul)

Code	Name	Position	Type*	Range	Comments
TYPENR	Type of file	1 -	2 2A	TB	Fixed value
PAYS	Country	3 -	5 3A	See Annexe I	ISO code
BATEAU	Vessel	6 -	8 3A	See Annexe I	MEDITS code
AN	Year	9 -	12 4N		Ex: 2000, 2001
NOTRAI	Haul number	13 -	15 3N	1 to 999	One series by vessel/year.
FERCHA	Codend closing	16 -	16 1A	S, C	S: without; C: controlled
PARTIT	Part of the codend	17 -	17 1A	A, M, P, S	Mandatory if FERCHA = C. A: anterior; M: middle; P: posterior; S sum of the three parts
CATFAU	Faunistic category	18 -	18 1A	A to E See Annexe V	MEDITS code, filled in only if the 3 following fields are empty.
GENRE	Genus	19 -	22 4A	See Annex XV	Following the reference list
ESP	Species	23 -	25 3A	See Annex XV	Following the reference list
LIREF	Name of the reference list	26 -	27 2A	See Annex XV	NCC or MEDITS code
PTOT	Total weight in the haul	28 -	34 7N	0 to 9999999, space	For the given species, in grams
NBTOT	Total number in the haul	35 -	41 7N	0 à 9999999	For the given species. Should be equal to the sum of the 3 following fields
NBFEM	Nb of females in the haul	42 -	48 7N	0 to 9999999	
NBMAL	Nb of males	49 -	55 7N	0 to 9999999	
NbInd	Nb of undetermined	56 -	62 7N	0 to 9999999	Undetermined or not determined

* All numerical fields (N) are right justified; all alphanumeric fields (A) fields are left justified

XII. Format of type C files (biological parameters)

Code	Name	Position	Type*	Range	Comments
TYPENR	Type of file	1 - 2	2A	TC	Fixed value
PAYS	Country	3 - 5	3A	See Annex I	ISO code
BATEAU	Vessel	6 - 8	3A	See Annex I	MEDITS code
AN	Year	9 - 12	4N		Ex 2000, 2001
NOTRAI	Haul number	13 - 15	3N	1 to 999	One series by vessel/year
FERCHA	Codend closing	16 - 16	1A	S, C	S: without; C: controlled
PARTIT	Part of the codend	17 - 17	1A	A, M, P, S	Mandatory if FERCHA = C. A: anterior; M: middle; P: posterior; S sum of the three parts
GENRE	Genus	18 - 21	4A	See Annex XV	Following the reference list
ESP	Species	22 - 24	3A	See Annex XV	Following the reference list
CODLON	Length classes code	25 - 25	1A	m, 0, 1	Types of classes: m: 1 mm; 0: 0.5 cm; 1: 1cm
PFRAC	Weight of the fraction** in the whole haul	26 - 31	6N	0 to 999999	In grams
PECHAN	Weight of the sample really measured in this fraction	32 - 37	6N	0 à 999999	In grams
SEXE	Sex	38 - 38	1A	M, F, I,N	M: male; F: female; I: undetermined; N: not determined.
NBSEX	Nb of individual of the above se measured in the sample	39 - 44	6N	1 to 999999, space	Unknown: space
CLALON	Length class	45 - 48	4N	1 to 9999	Identifier: lower limit of the class in millimetres; ex: 30.5- 31 cm = 305 (with CODLON = 0); 30-31 cm = 300 (with CODLON = 1) and 26-27 mm = 26 (with CODLON = m)
MATUR	Maturity	49 - 49	1N	0 to 4. See Annexes VIII & IX	0: not determined; 1: immature; 2: maturing; 3: mature or spawning; 4: post-spawning
MATSUB	Maturity sub-staging	50 - 50	1A	See Annexes VIII & IX	Sub-stages of maturity, from a to e (optional)
NBLON	No of individuals in the length class and the maturity stage	51 - 57	6N	1 to 999999	The length classes without any individual are excluded from the file. The sum of No of individuals par class and sex is the No of individuals in the sex and the sample.

* All numerical fields (N) are right justified; all alphanumeric fields (A) fields are left justified

** The word "Fraction" means any sub-group of individual from the total catch of a species (males, females, large sized individuals, small individuals, juveniles, etc.) on which it could be proceed to a sub-sample. For example: total weight = 1000 g which is divided into 100g of big individuals and 900 g of small. The big individuals will be entirely measured (PFRAC = 100; PECHAN = 100). The small ones will be sub-sampled with a ratio of 1/10 (PFRAC + 900; PECHAN = 90)

XIII. Format of type D files (Temperature data) and codes for the temperature measuring systems

Format of type 4 files (Temperature data)

Code	Name	Position	Type*	Range	Comments
TYPENR	Type of file	1 - 2	2A	TD	Fixed value
PAYS	Country	3 - 5	3A	See Annexe I	ISO code
BATEAU	Vessel	6 - 8	3A	See Annexe I	MEDITS code
AN	Year	9 - 12	4N		Ex: 2000, 2001
NOTRAI	Haul number	13 - 15	3N	1 to 999	One series by vessel/year
TODEB	Bottom temperature (beginning of the haul)	16 - 20	5N	0.00 to 30.00	in C° with two decimal positions
TOFIN	Bottom temperature (end of the haul)	21 - 25	5N	0.00 to 30.00	in C° with two decimal positions
METHOD	Measuring system	26 - 27	2A	See infra	MEDITS code

* All numerical fields (N) are right justified; all alphanumeric fields (A) fields are left justified

MEDITS Codes for the temperature measuring systems

Code	Systeme
VA	Vemco- Minilog TDR -5 to +35 C°
XA	XBT
SA	SCANMAR
CTD	CTD probe

XIV. Format of type T files (List of hauls by stratum)

Code)	Name	Position	Type*	Range	Comments
TYPENR	Type of file	1 - 2	2A	TR	Fixed value
AN	Year	3 - 6	4N		Ex: 2000, 2001
PAYS	Country	7 - 9	3A	See Annexe I	ISO code
BATEAU	Vessel	10 - 12	3A	See Annexe I	MEDITS code
NOTRAI	Haul number	13 - 15	3N	1 to 999	One series by vessel/year
N°STRATE	Number of the stratum	16 - 20	5N	See Annex II	

XV. FM list of species codes

FAUNISTIC LIST OF THE MEDITERRANEAN To be used in the trawl surveys

Name of the list: FM

WARNING

The present list is destined to code the marine species encountered in the Mediterranean. It has been built following the principle used in the Nordic Code Centre (Stockholm). For most of the species the codes are identical to those proposed by the NCC. However some species can be coded differently. In addition numerous Mediterranean species are not included in the NCC code and have been added. So the present list is specific. It has to be referred as the FM list.

The initial list was made to be used during the surveys conducted by Ifremer in the western Mediterranean (French and Algerian coasts). Its use has been spread to the International survey MEDITS since 1994.

The first fish list has been established accordingly to the following work:

Hureau J.-C. et Th. Monod (réd.), 1973. Catalogue des poissons de l'Atlantique du nord-est et de la Méditerranée. Unesco, Paris, Vol I, xxii + 683 p.; vol II, 331 p. [réimpression comprenant le Supplément 1978, par E. Tortonese et J. -C. Hureau (réd), en 1979].

The reference of the species following this work is reported as "C" (for Clofnam) in the column "Source" with number which is attributed to this species in the Catalogue in the column "Reference".

This list has been increased with reference to the following works:

- Fisher W., M.L., Bauchot et M. Schneider (réact.), 1987. Fiches FAO d'identification des espèces pour les besoins de la pêche. (Révision 1). Méditerranée et mer Noire. Zone de pêche 37. Volume I. Végétaux et Invertébrés. Volume II. Vertébrés. Publication préparée par la FAO, résultat d'un accord entre la FAO et la Commission des Communautés Européennes (Projet GCP/INT/422/EEC) financée conjointement par ces deux organisations. Rome, FAO, 1530 p.

The reference of the species coming from this book are reported as "F" (for FAO) in the "Source" with the reference given to this species.

- Whitehead P.J.P., M.L. Bauchot, J.C. Hureau, J. Nielsen, E. Tortonese, 1984. Poissons de l'Atlantique du nord-est et de la Méditerranée. Vol. I. UNESCO, Paris, 510 p.
- Whitehead P.J.P., M.L. Bauchot, J.C. Hureau, J. Nielsen, E. Tortonese, 1986. Poissons de l'Atlantique du nord-est et de la Méditerranée. Vol. II et III. UNESCO, Paris, 511-1473.

For most of the Invertebrates, the species have been named accordingly to the following works:

- Zarquiey Alvarez R., 1968. Crustaceos decapodos ibéricos. Invest. Pesq. 32, 510 p.
- Riedl R., 1963. Fauna und flora der Adria. Paul Parey Ed. – 640pp.

The references to these works are mentioned as Z and R respectively in the column "Source".

The scientific names in the list are those of the last update of these various works. The words between parenthesis are the scientific names used in a former coding.

The source file of this list is located at the "Ecologie et modèles pour l'halieutique" department of Ifremer in Nantes. To allow to maintain the uniqueness of this file, the participating teams are invited to contact this department to include any new species (see the form below).

The species codes included in the data tables are based on the FM list. So, to maintain the consistency of the data series, they cannot be changed even if a species name is reviewed. In the last column of the following table, an updated valid name based on the Ifremer taxonomic reference table is given.

Medit Code	Scientific Name	Source	Reference	CATFAU CODLON	Valid Name (Ifremer reference)
ABRAVER	Abralia veranyi	F	ENOP	C 0	Abralia veranyi (Rüppell, 1844)
ABRRALB	Abra alba	R	RIEDL	E 0	Abra alba (Wood W., 1802)
ACANEXI	Acantephyra eximia	Z	Z	B m	Acanthephyra eximia S.I. Smith, 1884
ACANPEL	Acanthephyra pelagica	Z	Z	B m	Acanthephyra pelagica (Risso, 1816)
ACATPAL	Acantholabrus palloni	C	145.2.1	A 0	Acantholabrus palloni (Risso, 1810)
AEQUOPE	Aequipecten opercularis	F	PECT Aeq 1	D 0	Aequipecten opercularis (Linnaeus, 1758)
ALCYPAL	Alcyonium palmatum			D 0	Alcyonium palmatum Pallas, 1766
ALEPROS	Alepocephalus rostratus	C	30.1.1	A 0	Alepocephalus rostratus Risso, 1820
ALLOMED	Alloteuthis media	F	LOLIG Allot 3	C 0	Alloteuthis media (Linnaeus, 1758)
ALLOSPP	Alloteuthis spp	F	LOLIG Allot	C 0	Alloteuthis Wülker, 1920
ALLOSUB	Alloteuthis subulata	F	LOLIG Allot 2	C 0	Alloteuthis subulata (Lamarck, 1798)
ALOPVUL	Alopias vulpinus	C	9.1.1	A 0	Alopias vulpinus (Bonnaterre, 1788)
ALOSFAL	Alosa fallax	C	33.6.3	A 0	Alosa fallax (Lacepède, 1803)
ALPHGLA	Alpheus glaber	F	ALPH Alph 5	B m	Alpheus glaber (Olivier, 1792)
ALPHPLA	Alpheus platydactylus	Z	Z	B m	Alpheus platydactylus Coutière, 1897
AMYGLUT	Amygdalum luteum		D'Onghia	E 0	Amygdalum politum (Verrill & Smith, 1880)
ANADDIL	Anadara diluvii	F	ARC Anad 3	D 0	Anadara demiri (Piani, 1981)
ANAMRIS	Anamathia rissoana	Z	Z	B m	Anamathia rissoana (Roux, 1828)
ANAPBIC	Anapagurus bicorniger	Z	Z	B m	Anapagurus bicorniger A. Milne-Edwards & Bouvier, 1892
ANAPLAE	Anapagurus laevis	Z	Z	B m	Anapagurus laevis (Bell, 1845)
ANARGRA	Anarchias euryurus (grassii)	C	73.3.1	A 0	Anarchias euryurus (Lea, 1913)
ANCINIC	Ancistroteuthis lichtensteini	F	ONYCHO	C 0	Ancistroteuthis lichensteinii (De Féussac & D'Orbigny, 1839)
ANGUANG	Anguilla anguilla	C	71.1.1	A 0	Anguilla anguilla (Linnaeus, 1758)
ANTHANT	Anthias anthias	C	124.2.1	A 0	Anthias anthias (Linnaeus, 1758)
ANTOMEG	Antonogadus megalokynodon	C	101.19.2	A 0	Gaidropsarus biscayensis (Collett, 1890)
ANTOSPP	Antonogadus spp.	C	101.19	A 0	Gaidropsarus Rafinesque, 1810
APHIMIN	Aphia minuta	C	162.2.1	A 0	Aphia minuta (Risso, 1810)
APOGIMB	Apogon imberbis	C	127.1.1	A 0	Apogon imberbis (Linnaeus, 1758)
APORPES	Aporrhais pespelecani	F	APOR Apor 1	E 0	Aporrhais pespelecani (Linnaeus, 1758)
APORSER	Aporrhais serresianus	F	APOR Apor 2	D 0	Aporrhais serresianus (Michaud, 1828)
APTECAE	Apterichthus caecus	C	86.2.1	A 0	Apterichtus caecus (Linnaeus, 1758)
ARGESPY	Argentina sphyraena	C	46.1.1	A 0	Argentina sphyraena Linnaeus, 1758
ARGOOLE	Argobuccinum olearium	F	CYM Argo 1	D 0	Ranella olearium (Linnaeus, 1758)
ARGRACU	Argyropelecus aculeatus	C	38.2.2	A 0	Argyropelecus aculeatus Valenciennes, 1850
ARGRHEM	Argyropelecus hemigymnus	C	38.2.1	A 0	Argyropelecus hemigymnus Cocco, 1829
ARGYREG	Argyrosomus regius	C	137.2.1	A 0	Argyrosomus regius (Asso, 1801)
ARIOBAL	Ariosoma balearicum	C	82.2.1	A 0	Ariosoma balearicum (Delaroche, 1809)
ARISFOL	Aristaeomorpha foliacea	F	ARIST Aris 1	B m	Aristaeomorpha foliacea (Risso, 1827)
ARITANT	Aristeus antennatus	F	ARIST Arist 1	B m	Aristeus antennatus (Risso, 1816)
ARMIMAC	Arminia maculata	F	NAT Natic 1	D 0	Armina maculata Rafinesque, 1814
ARMITIG	Armina tigrina	R	RIEDL	E 0	Armina tigrina Rafinesque, 1814
ARNOIMP	Arnoglossus imperialis	C	196.2.2	A 0	Arnoglossus imperialis (Rafinesque, 1810)
ARNOLAT	Arnoglossus laterna	C	196.2.1	A 0	Arnoglossus laterna (Walbaum, 1792)
ARNORUP	Arnoglossus rueppelli	C	196.2.4	A 0	Arnoglossus rueppelii (Cocco, 1844)
ARNOTho	Arnoglossus thori	C	196.2.5	A 0	Arnoglossus thori Kyle, 1913
ASPICUC	Aspitrigla cuculus	C	185.2.1	A 0	Aspitrigla cuculus (Linnaeus, 1758)
ASPIOBS	Aspitrigla obscura	C	185.2.2	A 0	Chelidonichthys obscurus (Bloch & Schneider, 1801)
ASTRSPP	Astropecten spp.			E 0	Astropecten Gray, 1840

Medit Code	Scientific Name	Source	Reference	CATFAU CATFAU CODON	Valid Name (Ifremer reference)
ATELROT	Atelecyclus rotundatus	Z Z	D 0	Atelecyclus rotundatus (Olivi, 1792)	
ATRIFRA	Atrina fragilis (= Pinna pectinata) F	PINN Atr 4	D 0	Atrina pectinata (Linnaeus, 1767)	
AULOFIL	Aulopus filamentosus	C 50.1.1	A 0	Aulopus filamentosus (Bloch, 1792)	
BALICAR	Balistes carolinensis	C 201.1.2	A 0	Balistes capriscus Gmelin, 1789	
BASOPRO	Bathysolea profundicola	C 198.2.1	A 0	Bathysolea profundicola (Vaillant, 1888)	
BATHDUB	Bathypterois dubius	F CHLOR	A 0	Bathypterois dubius Vaillant, 1888	
BATHMED	Bathypterois mediterraneus	C 53.1.2	A 0	Bathypterois dubius Vaillant, 1888	
BATISPO	Bathypolypus sponsalis	F OCT Bath 2	C 0	Bathypolypus sponsalis (Fischer & Fischer, 1892)	
BATYMAR	Bathynectes maravigna	F PORT	B m	Bathynectes maravigna (Prestandrea, 1839)	
BATYSUP	Bathynectes superbus	Z Z	B m	Bathynectes maravigna (Prestandrea, 1839)	
BELLAPO	Bellotia apoda	C 172.3.1	A 0	Bellotia apoda Giglioli, 1883	
BENSGLA	Benthosema glaciale	C 58.2.1	A 0	Benthosema glaciale (Reinhardt, 1837)	
BENTROB	Benthocometes robustus	C 172.4.1	A 0	Benthocometes robustus (Goode & Bean, 1886)	
BERYDEC	Beryx decadactylus	C 112.1.1	A 0	Beryx decadactylus Cuvier, 1829	
BERYSPL	Beryx splendens	C 112.1.2	A 0	Beryx splendens Lowe, 1834	
BLENBAS	Lipophrys (Blennius) basiliscus	C 164.1.3	A 0	Salaria basiliscus (Valenciennes, 1836)	
BLENCRI	Scartella (Blennius) cristata (crinitus)	C 164.1.6	A 0	Scartella cristata (Linnaeus, 1758)	
BLENGAT	Parablennius (Blennius) gattorugine	C 164.1.8	A 0	Parablennius gattorugine (Linnaeus, 1758)	
BLENOCE	Blennius ocellaris	C 164.1.1	A 0	Blennius ocellaris Linnaeus, 1758	
BLENPAV	Lipophrys (Blennius) pavo	C 164.1.12	A 0	Salaria pavo (Risso, 1810)	
BLENSPP	Blenniidae	C 164.	A 0	Blenniidae	
BLENSPY	Aidablennius (Blennius) sphynx	C 164.1.17	A 0	Aidablennius sphynx (Valenciennes, 1836)	
BLENTEN	Parablennius (Blennius) tentaculari	C 164.1.18	A 0	Parablennius tentacularis (Brünnich, 1768)	
BOOPBOO	Boops boops	C 139.2.1	A 0	Boops boops (Linnaeus, 1758)	
BOROANT	Borostomias antarcticus		C 0	Borostomias antarcticus (Lönnberg, 1905)	
BOTHPOD	Bothus podas	C 196.1.1	A 0	Bothus podas (Delaroche, 1809)	
BRACRII	Brachiotheuthis riisei	F BRACHIO Bra. 2	C 0	Brachiotheuthis riisei (Steenstrup, 1882)	
BUCCCOR	Buccinulum corneum	F BUCC Buc 1	D 0	Buccinulum corneum (Linnaeus, 1758)	
BUCHCHUN	Buccinum humphreysianum	F BUCC	D 0	Buccinum humphreysianum Bennet, 1824	
BUCCSPP	Buccinum spp.	F BUCC	E 0	Buccinum Linnaeus, 1758	
BUGLLUT	Buglossidium luteum	C 198.3.1	A 0	Buglossidium luteum (Risso, 1810)	
CALAGRA	Calappa granulata	F CAL Cal 2	B m	Calappa granulata (Linnaeus, 1758)	
CALCTUB	Calcinus tubularis	Z Z	B m	Calcinus tubularis (Linnaeus, 1767)	
CALICHI	Calyptraea chinensis	D'Angelo	E 0	Calyptraea chinensis (Linnaeus, 1758)	
CALLRIS	Callionymus risso	C 163a.1.7.	A 0	Callionymus risso Lesueur, 1814	
CALLRUB	Callanthias ruber	C 124.3.1	A 0	Callanthias ruber (Rafinesque, 1810)	
CALMLYR	Callionymus lyra	C 163a.1.1	A 0	Callionymus lyra Linnaeus, 1758	
CALMMAC	Callionymus maculatus	C 163a.1.3	A 0	Callionymus maculatus Rafinesque, 1810	
CALMPHA	Synchiropus (Callionymus) phaeton	C 163a.1.4	A 0	Synchiropus phaeton (Günther, 1861)	
CALMRIS	Callionymus risso	C 163a.1.7	A 0	Callionymus risso Lesueur, 1814	
CALMSPP	Callionymus		A 0	Callionymus Linnaeus, 1758	
CALOCOR	Calocarides coronatus		B m	Calocarides coronatus (Trybom, 1904)	
CALOMAC	Calocaris macandreae	Z Z	B m	Calocaris macandreae Bell, 1846	
CANCCAN	Cancellaria cancellata	F GASTEROPOD A F14	E 0	Cancellaria cancellata (Linnaeus, 1767)	
CANIGRA	Calliostoma granulatum	F TROCH	D 0	Calliostoma granulatum (Von Born, 1778)	
CAPOAPE	Capros aper	C 123.1.1	A 0	Capros aper (Linnaeus, 1758)	

Meditis Code	Scientific Name	Source	Reference	CATFAU COLON	Valid Name (Ifremer reference)
CARAHIP	Caranx hippos	C	131.1.1	A 0	Caranx hippos (Linnaeus, 1766)
CARARHO	Caranx rhonchus	C	131.1.5	A 0	Caranx rhonchus Geoffroy Saint-Hilaire, 1817
CARCPLU	Carcharhinus plumbeus	C	13.1.7	A 0	Carcharhinus plumbeus (Nardo, 1827)
CARCSPP	Carcharhinus spp	C	13.1	A 0	Carcharhinus Blainville, 1816
CARDACU	Acanthocardia aculeata	F	CARD Acan 1	E 0	Acanthocardia aculeata (Linnaeus, 1758)
CARDECH	Acanthocardia (Cardium) echinata	F	CARD Acan 2	D 0	Acanthocardia echinata (Linnaeus, 1758)
CARDSPI	Acanthocardia spinosa		D'Angelo	E 0	Acanthocardia spinosa (Solander, 1786)
CARISPP	Cardiomya spp.	R	RIEDL	E 0	Cardiomya Adams A., 1864
CARISTE	Cardion steveni	F	HIPPOL	B 0	Cardion steveni Lebour, 1930
CARPACU	Carapus acus	C	175.1.1	A 0	Carapus acus (Brünnich, 1768)
CASSECH	Cassidaria echinophora	F	CASS Cass 1	D 0	Galeodea echinophora (Linnaeus, 1758)
CASSSAB	Phalium (Cassis) saburon	F	CAS Phal 2	D 0	Phalium saburon (Bruguière, 1792)
CASSTYR	Cassidaria tyrrhena	F	CASS Cass 2	D 0	Galeodea rugosa (Linnaeus, 1771)
CATAALL	Cataetyx allenii	C	172.6.1	A 0	Cataetyx allenii (Byrne, 1906)
CECACIR	Centracanthus cirrus	C	141.1.1	A 0	Centracanthus cirrus Rafinesque, 1810
CENONIG	Centrolophus niger	C	176.1.1	A 0	Centrolophus niger (Gmelin, 1789)
CENTGRA	Centrophorus granulosus	C	16.1.2	A 0	Centrophorus granulosus (Bloch & Schneider, 1801)
CENTUYA	Centrophorus uyato	C	16.2.4	A 0	Centrophorus uyato (Rafinesque, 1810)
CEPHVOL	Dactylopterus (Cephalacanthus) volitans	C	193.1.1	A 0	Dactylopterus volitans (Linnaeus, 1758)
CEPOMAC	Cepola rubescens (macropthalma)	C	128.1.1	A 0	Cepola macropthalma (Linnaeus, 1758)
CERAMAD	Cerastocopelus maderensis	C	58.4.1	A 0	Ceratoscopelus maderensis (Lowe, 1839)
CHAUSLO	Chauliodus sloani	C	40.1.1	A 0	Chauliodus sloani Bloch & Schneider, 1801
CHEOLAB	Chelon labrosus	C	181.2.1	A 0	Chelon labrosus (Risso, 1827)
CHIMMON	Chimaera monstrosa	C	26.1.1	A 0	Chimaera monstrosa Linnaeus, 1758
CHLAOPE	Chlamys opercularis	F	PECT Aeq 1	E 0	Aequipecten opercularis (Linnaeus, 1758)
CHLAVAR	Chlamys varia	F	PECT Chlam 1	E 0	Chlamys varia (Linnaeus, 1758)
CHLOGRA	Chlorotocus crassicornis (gracilipes)	Z Z		B m	Chlorotocus crassicornis (A. Costa, 1871)
CHROCHR	Chromis chromis	C	144.1.1	A 0	Chromis chromis (Linnaeus, 1758)
CIRCCAS	Circomphalus casinus	F	VEN	D 0	Venus casina Linnaeus, 1758
CIROBOR	Cirolana borealis			E 0	Cirolana borealis Lilljeborg, 1851
CITHMAC	Citharus linguatula (macrolepidotus)	C	194.1.1	A 0	Citharus linguatula (Linnaeus, 1758)
CLOPBIC	Chlopsis bicolor	C	77.1.1	A 0	Chlopsis bicolor Rafinesque, 1810
CLORAGA	Chlorophthalmus agassizi	C	55.1.1	A 0	Chlorophthalmus agassizi Bonaparte, 1840
COBLGAL	Coryphoblemnus galerita	C	164.2.1	A 0	Coryphoblemnus galerita (Linnaeus, 1758)
COELCOE	Coelorhynchus coelorhynchus	C	99.12.1	A 0	Caelorinchus caelorhincus caelorhincus (Risso, 1810)
COELOCC	Coelorhynchus occa (C. labiatus)	C	99.12.2	A 0	Caelorinchus occa (Goode & Bean, 1885)
CONGCON	Conger conger	C	82.1.1	A 0	Conger conger (Linnaeus, 1758)
CORIJUL	Coris julis	C	145.4.1	A 0	Coris julis (Linnaeus, 1758)
CORYGUN	Coryphaenoides guentheri	C	99.13.2	A 0	Coryphaenoides guentheri (Vaillant, 1888)
CRANSPP	Crangon sp	F	CRANG	B m	Crangon J.C. Fabricius, 1798
CRASGIG	Crassostrea gigas	F	OSTR Crass 1	E 0	Crassostrea gigas (Thunberg, 1793)
CRASSPP	Crassostrea spp.	F	OSTR	E 0	Crassostrea Sacco, 1897
CUBIGRA	Cubiceps gracilis	C	177.2.1	A 0	Cubiceps gracilis (Lowe, 1843)
CUSPCUS	Cuspidaria cuspidata			E 0	Cuspidaria cuspidata (Olivi, 1792)
CYCLPIG	Cyclothona pygmaea	C	37.4.8	A 0	Cyclothona pygmaea Jespersen & Tåning, 1926
CYCLSPP	Cyclothona spp.	C	37.4	A 0	Cyclothona Goode & Bean, 1882

Meditis Code	Scientific Name	Source	Reference	CATFAU CODE	CODON	Valid Name (Ifremer reference)
CYMACOR	<i>Cymatium corrugatum</i>	F	CYM Cym 1	D	0	<i>Cymatium corrugatum</i> (Lamarck, 1816)
CYMBOLL	<i>Cymbium olla</i>			E	0	<i>Cymbium olla</i> (Linnaeus, 1758)
CYNPFER	<i>Cynoponticus ferox</i>	C	79.1.1	A	0	<i>Cynoponticus ferox</i> Costa, 1846
DALOIMB	<i>Dalophis imberbis</i>	C	86.3.1	A	0	<i>Dalophis imberbis</i> (Delaroche, 1809)
DARDARR	<i>Dardanus arrosor</i>	Z	Z	B	m	<i>Dardanus arrosor</i> (Herbst, 1796)
DARDCAL	<i>Dardanus calidus</i>	Z	Z	B	m	<i>Dardanus calidus</i> (Risso, 1827)
DASICEN	<i>Dasyatis centroura</i>	C	22.1.2	A	0	<i>Dasyatis centroura</i> (Mitchill, 1815)
DASIPAS	<i>Dasyatis pastinaca</i>	C	22.1.1	A	0	<i>Dasyatis pastinaca</i> (Linnaeus, 1758)
DASITOR	<i>Dasyatis tortonesi</i>	C	22.1.4	A	0	<i>Dasyatis pastinaca</i> (Linnaeus, 1758)
DASIVIO	<i>Dasyatis violacea</i>	C	22.1.3	A	0	<i>Pteroplatytrygon violacea</i> (Bonaparte, 1832)
DENTDEN	<i>Dentex dentex</i>	C	139.3.1	A	0	<i>Dentex dentex</i> (Linnaeus, 1758)
DENTGIB	<i>Dentex gibbosus</i>	C	139.3.3	A	0	<i>Dentex gibbosus</i> (Rafinesque, 1810)
DENTMAC	<i>Dentex macrophthalmus</i>	C	139.3.4	A	0	<i>Dentex macrophthalmus</i> (Bloch, 1791)
DENTMAR	<i>Dentex maroccanus</i>	C	139.3.5	A	0	<i>Dentex maroccanus</i> Valenciennes, 1830
DENTSPP	<i>Dentalium spp</i>			E	0	<i>Dentalium</i> Linnaeus, 1758
DIAPHOL	<i>Diaphus holti</i>	C	58.6.5.	A	0	<i>Diaphus holti</i> Tåning, 1918
DIAPMET	<i>Diaphus metopoclampus</i>	C	58.6.7	A	0	<i>Diaphus metopoclampus</i> (Cocco, 1829)
DIAPRAF	<i>Diaphus rafinesquei</i>	C	58.6.9	A	0	<i>Diaphus rafinesquii</i> (Cocco, 1838)
DIAPSPP	<i>Diaphus spp.</i>	C	58.6.	A	0	<i>Diaphus</i> Eigenmann & Eigenmann, 1890
DICAMAY	<i>Dicranodromia mayheuxi</i>	Z	Z	B	m	<i>Dicranodromia mayheuxii</i> A. Milne-Edwards, 1883
DICELAB	<i>Dicentrarchus labrax</i>	C	124.4.1	A	0	<i>Dicentrarchus labrax</i> (Linnaeus, 1758)
DICEPUN	<i>Dicentrarchus punctatus</i>	C	124.4.2	A	0	<i>Dicentrarchus punctatus</i> (Bloch, 1792)
DICOCUN	<i>Dicologlossa cuneata</i>	C	198.4.2	A	0	<i>Dicologlossa cuneata</i> (Moreau, 1881)
DIODITA	<i>Diodora italica</i>			E	0	<i>Diodora italica</i> (Defrance, 1820)
DIPGBIM	<i>Diplacogaster bimaculata</i>	C	208.2.1	A	0	<i>Diplecogaster bimaculata bimaculata</i> (Bonnaterre, 1788)
DIPLANN	<i>Diplodus annularis</i>	C	139.4.1	A	0	<i>Diplodus annularis</i> (Linnaeus, 1758)
DIPLCER	<i>Diplodus cervinus cervinus</i>	C	139.4.2.	A	0	<i>Diplodus cervinus cervinus</i> (Lowe, 1838)
DIPLPUN	<i>Diplodus puntazo</i>	C	139.8.1	A	0	<i>Diplodus puntazzo</i> (Cetti, 1777)
DIPLSAR	<i>Diplodus sargus</i>	C	139.4.3	A	0	<i>Diplodus sargus sargus</i> (Linnaeus, 1758)
DIPLVUL	<i>Diplodus vulgaris</i>	C	139.4.4	A	0	<i>Diplodus vulgaris</i> (Geoffroy Saint-Hilaire, 1817)
DORHTHO	<i>Dorhynchus thomsoni</i>	Z	Z	B	m	<i>Dorhynchus thomsoni</i> Wyville & Thomson, 1873
DORILAN	<i>Dorippe lanata</i>	Z	Z	B	m	<i>Medorippe lanata</i> (Linnaeus, 1767)
DORITHO	<i>Dorhynchus thomsoni</i>	Z	Z	C	m	<i>Dorhynchus thomsoni</i> Wyville & Thomson, 1873
DORSVER	<i>Doris verrucosa</i>	R	RIEDL	E	0	<i>Doris verrucosa</i> Linnaeus, 1758
DOSISPP	<i>Dosinia spp</i>			D	0	<i>Dosinia</i> Scopoli, 1777
DROMPER	<i>Dromia personata</i>	F	DROM Drom 1	B	m	<i>Dromia personata</i> (Linnaeus, 1758)
DUSSELO	<i>Dussumieria elopsoides</i>	X	X	A		<i>Dussumieria elopsoides</i> Bleeker, 1849
EBALCRA	<i>Ebalia cranchi</i>	Z	Z	B	0	<i>Ebalia cranchi</i> Leach, 1817
EBALNUX	<i>Ebalia nux</i>	Z	Z	B	m	<i>Ebalia nux</i> A. Milne-Edwards, 1883
ECHEMIR	<i>Echelus myrus</i>	C	84.1.1	A	0	<i>Echelus myrus</i> (Linnaeus, 1758)
ECHIDEN	<i>Echiodon dentatus</i>	C	175.2.2	A	0	<i>Echiodon dentatus</i> (Cuvier, 1829)
ELECRIS	<i>Electrona risso</i>	C	58.8.1	A	0	<i>Electrona risso</i> (Cocco, 1829)
ELEDCIR	<i>Eledone cirrhosa</i>	F	OCT Eled 1	C	0	<i>Eledone cirrhosa</i> (Lamarck, 1798)
ELEDMOS	<i>Eledone moschata</i>	F	OCT Eled 2	C	0	<i>Eledone moschata</i> (Lamarck, 1798)
ELEDSPPP	<i>Eledone spp</i>	F	OCT	C	0	<i>Eledone</i> Leach, 1817
ENGRENC	<i>Engraulis encrasicolus</i>	C	35.1.1	A	0	<i>Engraulis encrasicolus</i> (Linnaeus, 1758)
EPHIGUT	<i>Ephippion guttiferum</i>	C	204.1.1	A	0	<i>Ephippion guttifer</i> (Bennett, 1831)
EPIGCON	<i>Epigonus constanciae</i>	C	127.2.3	A	0	<i>Epigonus constanciae</i> (Giglioli, 1880)
EPIGDEN	<i>Epigonus denticulatus</i>	C	127.2.2	A	0	<i>Epigonus denticulatus</i> Dieuzeide, 1950
EPIGTEL	<i>Epigonus telescopus</i>	C	127.2.1	A	0	<i>Epigonus telescopus</i> (Risso, 1810)

FM list by alphabetic order of Genus and species codes

Annexe XV / V

Meditis Code	Scientific Name	Source	Reference	CATFAU COLON	Valid Name (Ifremer reference)
EPINAEN	Epinephelus aeneus	C	124.5.1	A 0	Epinephelus aeneus (Geoffroy Saint-Hilaire, 1817)
EPINALE	Epinephelus alexandrinus	C	124.5.2	A 0	Epinephelus costae (Steindachner, 1878)
EPINCAN	Epinephelus caninus	C	124.5.3	A 0	Epinephelus caninus (Valenciennes, 1843)
EPINGUA	Epinephelus guaza	C	124.5.4	A 0	Epinephelus marginatus (Lowe, 1834)
EPINSPP	Epinephelus spp	C	124.5	A 0	Epinephelus Bloch, 1793
ERETKLE	Eretmophorus kleinenbergi	C	103.1.1	A 0	Eretmophorus kleinenbergi Giglioli, 1889
ERGACLO	Ergasticus clouei	Z Z		B m	Ergasticus clouei A. Milne-Edwards, 1882
ETHUMAS	Ethusa mascarone	Z Z		B m	Ethusa mascarone (Herbst, 1785)
ETMOSPI	Etmoster spinax	C	16.6.1	A 0	Etmoster spinax (Linnaeus, 1758)
EUCHLIG	Euchirograpsus liguricus	Z Z		B m	Euchirograpsus liguricus H. Milne-Edwards, 1853
EUPHSPP	Euphausiidae			B m	Euphausiidae
EURYASP	Eury nome aspera	Z Z		B m	Eury nome aspera (Pennant, 1777)
EUTRGUR	Eutrigla gurnardus	C	185.3.1	A 0	Eutrigla gurnardus (Linnaeus, 1758)
EVERBAL	Evermannella balboi (= balbo)	C	60.1.1	A 0	Evermannella balbo (Risso, 1820)
FLEXFLE	Flexopecten flexuosus	F	PETC Flex	E 0	Chlamys flexuosa (Poli, 1795)
FUNCWOO	Funchalia woodwardi	F	PEN	B m	Funchalia woodwardi Johnson, 1867
FUSIROS	Fusinus rostratus	F	FASC Fus 1	E 0	Fusinus rostratus (Olivier, 1792)
FUSTUND	Fusiturus undatiruga			E 0	Fusiturus undatiruga (Bivona, 1832)
GADAMAR	Gadella maraldi	C	103.3.1	A 0	Gadella maraldi (Risso, 1810)
GADIARG	Gadiculus argenteus	C	101.5.1	A 0	Gadiculus argenteus argenteus Guichenot, 1850
GADUMER	Merlangius merlangus	C	101.7.1	A 0	Merlangius merlangus (Linnaeus, 1758)
GAIDMED	Gaidropsarus mediterraneus	C	101.20.1	A 0	Gaidropsarus mediterraneus (Linnaeus, 1758)
GAIDVUL	Gaidropsarus vulgaris	C	101.20.4	A 0	Gaidropsarus vulgaris (Cloquet, 1824)
GALADIS	Galathea dispersa	Z Z		B m	Galathea dispersa Bate, 1859
GALAINT	Galathea intermedia	Z Z		B m	Galathea intermedia Liljeborg, 1851
GALANEX	Galathea nexa	Z Z		B m	Galathea nexa Embleton, 1834
GALEGAL	Galeorhinus galeus	C	13.3.1	A 0	Galeorhinus galeus (Linnaeus, 1758)
GALIDEC	Galeoides decadactylus	C	182.1.1	A 0	Galeoides decadactylus (Bloch, 1795)
GALUATL	Galeus atlanticus	F	SCYL Gal 11	A 0	Galeus atlanticus (Vaillant, 1888)
GALUMEL	Galeus melastomus	C	11.3.1	A 0	Galeus melastomus Rafinesque, 1810
GENNELE	Gennadas elegans	F	ARIST	B m	Gennadas elegans S.I. Smith, 1882
GEPYDAR	Gephyroberyx darwini	C	115.1.1	A 0	Gephyroberyx darwini (Johnson, 1866)
GERYLON	Geryon longipes	F	GER Ger 2	B m	Geryon longipes A. Milne-Edwards, 1882
GIBBSPP	Gibbula sp		D'Angelo	0	Gibbula Riso, 1826
GLOSLEI	Glossanodon leioglossus	C	46.2.1	A 0	Glossanodon leioglossus (Valenciennes, 1848)
GLOVAL	Glossodoris valencienesi	R	RIEDL	E 0	Hypselodoris picta (Schultz)
GLOUHUM	Glossus humanus	F	GLOSS Gloss 1	E 0	Glossus humanus (Linnaeus, 1758)
GNATMYS	Gnathophis mystax	C	82.3.1	A 0	Gnathophis mystax (Delaroche, 1809)
GOBICOL	Deltentosteus (Gobius) colonialis	C	162.10.2	A 0	Deltentosteus collonianus (Risso, 1820)
GOBIFRI	Leusueurigobius (Gobius) friesii	C	162.16.2	A 0	Leusueurigobius friesii (Malm, 1874)
GOBIGEN	Gobius geniporus	C	162.1.8	A 0	Gobius geniporus Valenciennes, 1837
GOBILIN	Crystallogobius (Gobius) linearis	C	162.9.1	A 0	Crystallogobius linearis (Düben, 1845)
GOBINIG	Gobius niger	C	162.1.1	A 0	Gobius niger Linnaeus, 1758
GOBIQUA	Deltentosteus (Gobius) quadrimaculatus	C	162.10.1	A 0	Deltentosteus quadrimaculatus (Valenciennes, 1837)
GOBISAN	Lesueurigobius (Gobius) sanzoi	C	162.16.4	A 0	Lesueurigobius sanzoi (De Buen, 1918)
GOBISPP	Gobius spp	C	162	A 0	Gobius Linnaeus, 1758
GOBISUE	Lesueurigobius suerii	C	162.16.1	A 0	Lesueurigobius suerii (Risso, 1810)
GONERHO	Goneplax rhomboides (= angulata)	Z Z		B m	Goneplax rhomboides (Linnaeus, 1758)

Meditis Code	Scientific Name	Source	Reference	CATFAU CATFAU CODON	Valid Name (Ifremer reference)
GONICOC	Gonichthys coccoi	C	58.9.1	A 0	Gonichthys coco (Cocco, 1829)
GONODEN	Gonostoma denudatum	C	37.1.1	A 0	Gonostoma denudatum Rafinesque, 1810
GYMACIC	Gymnammodytes cicerellus	C	147.2.1	A 0	Gymnammodytes cicerelus (Rafinesque, 1810)
GYMNALT	Gymnura altavela	C	22.2.1	A 0	Gymnura altavela (Linnaeus, 1758)
HADRCRA	Hadriana craticuloides	F	MUR	D 0	Hadriana craticuloides (Vokes, 1964)
HELIDAC	Helicolenus dactylopterus	C	184.2.1	A 0	Helicolenus dactylopterus dactylopterus (Delaroche, 1809)
HEPTPER	Heptranchias perlo	C	3.2.1	A 0	Heptranchias perlo (Bonnaterre, 1788)
HETEDIS	Heteroteuthis dispar	F	SEPIOL	C 0	Heteroteuthis dispar (Rüppell, 1845)
HEXAGRI	Hexanchus griseus	C	3.1.1	A 0	Hexanchus griseus (Bonnaterre, 1788)
HEXAVIT	Hexanchus nakamurai (vitulus)	C	3.1.2	A 0	Hexanchus nakamurai Teng, 1962
HINIINC	Hinia incrassata	F	NASS Hin	E 0	Nassarius incrassatus (Ström, 1768)
HINIRET	Hinia reticulata	F	NASS Hin 1	E 0	Nassarius reticulatus (Linnaeus, 1758)
HIPPHIC	Hippocampus hippocampus	C	97.4.1	A 0	Hippocampus hippocampus (Linnaeus, 1758)
HISTBON	Histioteuthis bonnellii	F	HISTIO	C 0	Histioteuthis bonnellii (De Féussac, 1835)
HISTREV	Histioteuthis reversa	F	HISTIO	C 0	Histioteuthis reversus (Verrill, 1880)
HISTSPP	Histioteuthis spp	F	HISTIO	C 0	Histioteuthis D'Orbigny, 1848
HOMAVUL	Homarus vulgaris	F	NEPH Hom 1	B m	Homarus gammarus (Linnaeus, 1758)
HOMOBAR	Homola barbata	Z	Z	B m	Homola barbata (J.C. Fabricius, 1793)
HOPLATL	Hoplostethus atlanticus	C	115.2.2	A 0	Hoplostethus atlanticus Collett, 1889
HOPLMED	Hoplostethus mediterraneus	C	115.2.1	A 0	Hoplostethus mediterraneus mediterraneus Cuvier, 1829
HYGOBEN	Hygophum benoiti	C	58.10.2	A 0	Hygophum benoiti (Cocco, 1838)
HYGOHIG	Hygophum hygomii	C	58.10.1	A 0	Hygophum hygomii (Lütken, 1892)
HYMEITA	Hymenocephalus italicus	C	99.5.1	A 0	Hymenocephalus italicus Giglioli, 1884
HYMPSP	Hymenopenaeus sp	Z	Z	B m	Hymenopenaeus Smith, 1882
HYPESPP	Hyperiidae			E 0	Hyperiidae
HYPOPIC	Hyporhamphus picarti	C	93.2.1	A 0	Hyporhamphus picarti (Valenciennes, 1847)
ICHTOVA	Ichthyococcus ovatus	C	37.6.1	A 0	Ichthyococcus ovatus (Cocco, 1838)
ILLECOI	Illex coindetii	F	OMMAS III 1	C 0	Illex coindetii (Verany, 1839)
ILLESPP	Illex	F		C 0	Illex Steenstrup, 1880
INACCOM	Inachus communissimus	Z	Z	B m	Inachus communissimus Rizza, 1839
INACDOR	Inachus dorsettensis	Z	Z	B m	Inachus dorsettensis (Pennant, 1777)
INACTHO	Inachus thoracicus	Z	Z	B m	Inachus thoracicus P. Roux, 1830
JAXENOC	Jaxea nocturna			B m	Jaxea nocturna Nardo, 1847
LABRVIR	Labrus viridis	C	145.1.4	A 0	Labrus viridis Linnaeus, 1758
LABSBIM	Labrus bimaculatus	C	145.1.1	A 0	Labrus mixtus Linnaeus, 1758
LAEVCAR	Laevicardium oblongum	F	CARD Laev 1	E 0	Laevicardium oblongum (Gmelin, 1791)
LAGOLAG	Lagocephalus lagocephalus	C	204.2.1	A 0	Lagocephalus lagocephalus lagocephalus (Linnaeus, 1758)
LAMACRO	Lampanyctus crocodilus	C	58.12.1	A 0	Lampanyctus crocodilus (Risso, 1810)
LAMAPUS	Lampanyctus pusillus	C	58.12.10	A 0	Lampanyctus pusillus (Johnson, 1890)
LAMASPP	Lampanyctus spp	C	58.12	A 0	Lampanyctus Bonaparte, 1840
LAMPGUT	Lampris guttatus	C	105.1.1	A 0	Lampris guttatus (Brünich, 1788)
LAPPFAS	Lappanella fasciata	C	145.7.1	A 0	Lappanella fasciata (Cocco, 1833)
LATRSPP					Latreillia P. Roux, 1830
LEPALEP	Lepadogaster lepadogaster	C	208.4.1	A 0	Lepadogaster lepadogaster lepadogaster (Bonnaterre, 1788)
LEPICAU	Lepidopus caudatus	C	155.4.1	A 0	Lepidopus caudatus (Euphrasen, 1788)
LEPMBOS	Lepidorhombus boscii	C	195.2.2	A 0	Lepidorhombus boscii (Risso, 1810)
LEPMWHS	Lepidorhombus whiffagonis	C	195.2.1	A 0	Lepidorhombus whiffagonis (Walbaum, 1792)
LEPOLEP	Lepidion lepidion	C	103.6.1	A 0	Lepidion lepidion (Risso, 1810)

Meditis Code	Scientific Name	Source	Reference	CATFAU COLON	Valid Name (Ifremer reference)
LEPTCAV	Lepidotrigla cavillone	C	185.4.1	A 0	Lepidotrigla cavillone (Lacepède, 1801)
LEPTDIE	Lepidotrigla dieuzeidei	C	185.4.2	A 0	Lepidotrigla dieuzeidei Blanc & Hureau, 1973
LESTSPD	Lestidiops sphyrenoides	C	63.2.1	A 0	Lestidiops sphyrenoides (Risso, 1820)
LESTSPP	Lestidiops spp.	C	63.2	A 0	Lestidiops Hubbs, 1916
LICHAMI	Lichia amia	C	131.5.1	A 0	Lichia amia (Linnaeus, 1758)
LIGUENS	Ligur ensiferus	Z	Z	B m	Ligur ensiferus (Risso, 1816)
LISSCHI	Lissa chinagra	Z	Z	B m	Lissa chiragra (J.C. Fabricius, 1775)
LITHMOR	Lithognathus mormyrus	C	139.5.1	A 0	Lithognathus mormyrus (Linnaeus, 1758)
LIZAAUR	Liza aurata	C	181.3.2	A 0	Liza aurata (Risso, 1810)
LIZARAM	Liza ramada	C	181.3.1	A 0	Liza ramado (Risso, 1810)
LIZASAL	Liza saliens	C	181.3.4	A 0	Liza saliens (Risso, 1810)
LOBIDOF	Lobianchia dofleini	C	58.14.12	A 0	Lobianchia dofleini (Zugmayer, 1911)
LOBIGEM	Lobianchia gemellarii	C	58.14.1	A 0	Lobianchia gemellarii (Cocco, 1838)
LOLIFOR	Loligo forbesi	F	LOLIG Lolig 2	C 0	Loligo forbesi Steenstrup, 1856
LOLISPP	Loligo	F		C 0	Loligo Lamarck, 1798
LOLIVUL	Loligo vulgaris	F	LOLIG Loli 1	C 0	Loligo vulgaris Lamarck, 1798
LOPHBUD	Lophius budegassa	C	210.1.2	A 0	Lophius budegassa Spinola, 1807
LOPHPIS	Lophius piscatorius	C	210.1.1	A 0	Lophius piscatorius Linnaeus, 1758
LOPHSPP	Lophius	C		A 0	Lophius Linnaeus, 1758
LOPOTYP	Lophogaster typicus			E 0	Lophogaster typicus
LUNACAT	Lunatia catena	F	NAT	D 0	Euspira catena (da Costa, 1778)
LUNAFUS	Lunatia fusca		D'Onghia	E 0	Euspira fusca (De Blainville, 1825)
LUTRSPP	Lutraria spp.	R	RIEDL	E 0	Lutraria Lamarck, 1799
MACOSCO	Macrorhamphosus scolopax	C	96.1.1	A 0	Macroramphosus scolopax (Linnaeus, 1758)
MACRLIN	Macropodia linaresi	Z	Z	B m	Macropodia linaresi Forest & Zariquey-Alvarez, 1964
MACRLON	Macropodia longipes	Z	Z	B m	Macropodia tenuirostris (Leach, 1814)
MACRROS	Macropodia rostrata	F	MAJI	B m	Macropodia rostrata (Linnaeus, 1761)
MAJACRI	Maja crispata	F	MAJI Maja	B m	Maja crispata Risso, 1827
MAJASQU	Maja squinado	F	MAJI Maja 1	B m	Maja squinado (Herbst, 1788)
MAURMUE	Maurolicus muelleri	C	37.8.1	A 0	Maurolicus muelleri (Gmelin, 1789)
MCPIARC	Liocarcinus arcuatus	F	PORT Lioc 3	B m	Liocarcinus navigator (Hebst, 1794)
MCPICOR	Liocarcinus corrugatus		Zariquey	B m	Liocarcinus corrugatus (Pennant, 1777)
MCPIDEP	Liocarcinus (Macropipus) depurator	F	PORT Lioc 4	B m	Liocarcinus depurator (Linnaeus, 1758)
MCPIMAC	Liocarcinus maculatus	F	PORT Lioc	B m	Liocarcinus maculatus (Risso, 1827)
MCPIPUB	Necora (Macropipus) puber	F	PORT Neco 1	B m	Necora puber (Linnaeus, 1767)
MCPITUB	Macropipus tuberculatus	F	PORT Macro 1	B m	Macropipus tuberculatus (P. Roux, 1830)
MEGANOR	Meganyctiphanes norvegica			B m	Meganyctiphanes norvegica
MELAATL	Melanostigma atlanticum	C	170.6.1	A 0	Melanostigma atlanticum Koefoed, 1952
MERLMER	Merluccius merluccius	C	100.1.1	A 0	Merluccius merluccius (Linnaeus, 1758)
MICMPOU	Micromesistius poutassou	C	101.8.1	A 0	Micromesistius poutassou (Risso, 1827)
MICOSAB	Microcosmus sabatieri	F	PYUR Micr 2	D 0	Microcosmus sabatieri Roule, 1885
MICRMCS	Microstoma microstoma	C	46.1.3	A 0	Microstoma microstoma (Risso, 1810)
MICUAZE	Microchirus azevia	C	198.5.2	A 0	Microchirus theophila (Risso, 1810)
MICUBOS	Microchirus boscanion			A 0	Microchirus boscanion (Chabanaud, 1926)
MICUOCE	Microchirus ocellatus	C	198.5.3	A 0	Microchirus ocellatus (Linnaeus, 1758)
MICUVAR	Microchirus variegatus	C	198.5.1	A 0	Microchirus variegatus (Donovan, 1808)
MOLAMOL	Mola mola	C	207.1.1	A 0	Mola mola (Linnaeus, 1758)
MOLVDYP	Molva dipterygia	C	101.14.2	A 0	Molva dypterygia (Pennant, 1784)
MOLVMOL	Molva molva	C	101.14.1	A 0	Molva molva (Linnaeus, 1758)
MONOHIS	Monochirus hispidus	C	198.6.1	A 0	Monochirus hispidus Rafinesque, 1814

Medit Code	Scientific Name	Source	Reference	CATFAU CODE	CODON	Valid Name (Ifremer reference)
MORAMOR	<i>Mora moro</i>	C	103.7.1	A	0	<i>Mora moro</i> (Risso, 1810)
MORIRUG	<i>Morio rugosa</i>			E	0	<i>Galeodea rugosa</i> (Linnaeus, 1771)
MUGICEP	<i>Mugil cephalus</i>	C	181.1.1	A	0	<i>Mugil cephalus</i> Linnaeus, 1758
MUGISPP	<i>Mugilidae</i>	C	181.	A	0	<i>Mugilidae</i>
MULLBAR	<i>Mullus barbatus</i>	C	138.1.1	A	0	<i>Mullus barbatus</i> Linnaeus, 1758
MULLSUR	<i>Mullus surmuletus</i>	C	138.1.2	A	0	<i>Mullus surmuletus</i> Linnaeus, 1758
MUNICUR	<i>Munida curvimana</i>	Z	Z	B	m	<i>Munida curvimana</i> A. Milne-Edwards & Bouvier, 1894
MUNIINT	<i>Munida intermedia</i>	Z	Z	B	m	<i>Munida intermedia</i> A. Milne-Edwards et Bouvier, 1899
MUNIIRI	<i>Munida iris</i>	Z	Z	B	m	<i>Munida rutllanti</i> Zaridiey-Alvarez, 1952
MUNIPER	<i>Munida perarmata</i> (= <i>tenuimana</i>)	Z	Z	B	m	<i>Munida perarmata</i> A. Milne-Edwards & Bouvier, 1894
MUNIRUG	<i>Munida rugosa</i>	Z	Z	B	m	<i>Munida rugosa</i> (J.C. Fabricius, 1775)
MUNISPP	<i>Munida</i>	Z	Z	B	m	<i>Munida</i> Leach, 1820
MUNITEN	<i>Munida tenuimana</i>	Z	Z	B	m	<i>Munida perarmata</i> A. Milne-Edwards & Bouvier, 1894
MURAHEL	<i>Muraena helena</i>	C	73.1.1	A	0	<i>Muraena helena</i> Linnaeus, 1758
MUREBRA	<i>Bolinus (Murex) brandaris</i>	F	MUR Bol 1	D	0	<i>Bolinus brandaris</i> (Linnaeus, 1758)
MURETRU	<i>Murex trunculus</i>	R	RIEDL	D	0	<i>Hexaplex trunculus</i> (Linnaeus, 1758)
MUSTAST	<i>Mustelus asterias</i>	C	13c.5.2	A	0	<i>Mustelus asterias</i> Cloquet, 1821
MUSTMED	<i>Mustelus mediterraneus</i>	C	13c.5.3	A	0	<i>Mustelus punctulatus</i> Risso, 1827
MUSTMUS	<i>Mustelus mustelus</i>	C	13c.5.1	A	0	<i>Mustelus mustelus</i> (Linnaeus, 1758)
MYCOPUN	<i>Myctophum punctatum</i>	C	58.1.1	A	0	<i>Myctophum punctatum</i> Rafinesque, 1810
MYCOSPP	<i>Myctophidae</i>	C	58	A	0	<i>Myctophidae</i>
MYCTRUB	<i>Mycteroptera rubra</i>	C	124.6.1	A	0	<i>Mycteroptera rubra</i> (Bloch, 1793)
MYLIAQU	<i>Myliobatis aquila</i>	C	23.1.1	A	0	<i>Myliobatis aquila</i> (Linnaeus, 1758)
MYTIGAL	<i>Mytilus galloprovincialis</i>	F	MYTIL Mytil 1	D	0	<i>Mytilus galloprovincialis</i> Lamarck, 1819
MYTISPP	<i>Mytilidae</i> spp.	F	MYTIL	D	0	<i>Mytilidae</i> Rafinesque, 1815
NANSOBI	<i>Nansenia oblita</i>	C	46.4.2.	A	0	<i>Nansenia oblita</i> (Facciola, 1887)
NASSSPP	<i>Nassariidae</i>			D	0	<i>Nassariidae</i> Iredale, 1916
NATIMIL	<i>Naticarius millepunctatus</i>		D'Angelo	E	0	<i>Natica stercusmuscarum</i> (Gmelin, 1791)
NATISPP	<i>Naticidae</i>	F	NAT	D	0	<i>Naticidae</i> Guilding, 1834
NAUCDUC	<i>Naucrates ductor</i>	C	131.6.1	A	0	<i>Naucrates ductor</i> (Linnaeus, 1758)
NEMISCO	<i>Nemichthys scolopaceus</i>	C	76.1.1	A	0	<i>Nemichthys scolopaceus</i> Richardson, 1848
NEORCAR	<i>Neorossia caroli</i>	F	SEPIOL	C	0	<i>Neorossia caroli</i> (Joubin, 1902)
NEPRNOR	<i>Nephrops norvegicus</i>	F	NEPH Neph 1	B	m	<i>Nephrops norvegicus</i> (Linnaeus, 1758)
NEROMAC	<i>Nerophis maculatus</i>	C	97.2.1	A	0	<i>Nerophis maculatus</i> Rafinesque, 1810
NEROOPH	<i>Nerophis ophidion</i>	C	97.2.2	A	0	<i>Nerophis ophidion</i> (Linnaeus, 1758)
NETOBRE	<i>Dysomma (Nettodarus) brevirostris</i>	C	81.1.1	A	0	<i>Dysomma brevirostre</i> (Facciola, 1887)
NETTMEL	<i>Nettastoma melanurum</i>	C	80.1.1	A	0	<i>Nettastoma melanurum</i> Rafinesque, 1810
NEZUAEQ	<i>Nezumia aequalis</i>	C	99.9.1	A	0	<i>Nezumia aequalis</i> (Günther, 1878)
NEZUSCL	<i>Nezumia sclerorhynchus</i>	C	99.9.2	A	0	<i>Nezumia sclerorhynchus</i> (Valenciennes, 1838)
NOTABON	<i>Notacanthus bonapartei</i>	C	89.1.2	A	0	<i>Notacanthus bonaparte</i> Risso, 1840
NOTORIS	<i>Notolepis rissoii</i>	C	63.4.1	A	0	<i>Arctozenus risso</i> (Bonaparte, 1840)
NOTSBOL	<i>Notoscopelus bolini</i>	C	58.17.5	A	0	<i>Notoscopelus bolini</i> Nafpaktitis, 1975
NOTSELO	<i>Notoscopelus elongatus</i>	C	58.17.3	A	0	<i>Notoscopelus elongatus</i> (Costa, 1844)
NOTSKRO	<i>Notoscopelus kroyerii</i>	C	58.17.4	A	0	<i>Notoscopelus kroyeri</i> (Malm, 1861)
OBLAMEL	<i>Oblada melanura</i>	C	139.6.1	A	0	<i>Oblada melanura</i> (Linnaeus, 1758)
OCENERI	<i>Ocenebra erinacea</i>	R	RIEDL	E	0	<i>Ocenebra erinaceus</i> (Linnaeus, 1758)
OCTODEP	<i>Octopus defilippi</i>	F	OCT Oct 10	C	0	<i>Octopus defilippi</i> Verany, 1851
OCTOMAC	<i>Octopus macropus</i>	F	OCT Oct 2	C	0	<i>Octopus macropus</i> Risso, 1826

Meditis Code	Scientific Name	Source	Reference	CATFAU COLON	Valid Name (Ifremer reference)
OCTOSAL	<i>Octopus salutii</i>	F	OCT Oct 23	C 0	<i>Octopus salutii</i> Verany, 1836
OCTOSPP	<i>Octopus spp</i>	F	OCT Oct	C 0	<i>Octopus</i> Cuvier, 1797
OCTOTET	<i>Pteroctopus tetricirrus</i>	F	OCT Pter 1	C 0	<i>Pteroctopus tetricirrus</i> (Delle Chiaje, 1830)
OCTOVUL	<i>Octopus vulgaris</i>	F	OCT Oct 1	C 0	<i>Octopus vulgaris</i> Cuvier, 1797
OCYTTUB	<i>Ocythoe tuberculata</i>	F	OCY ocy 1	C 0	<i>Ocythoe tuberculata</i> Rafinesque, 1814
ODONFER	<i>Odontaspis ferox</i>	C	5.1.1	A 0	<i>Odontaspis ferox</i> (Risso, 1810)
ODONTAU	<i>Eugonophodus</i> (<i>Odontaspis</i>) <i>taurus</i>	C	5.1.3	A 0	<i>Carcharias taurus</i> Rafinesque, 1810
OEDALAB	<i>Oedalechilus labeo</i>	C	181.4.1	A 0	<i>Oedalechilus labeo</i> (Cuvier, 1829)
OLIGATE	<i>Oligopus ater</i>	C	172.1.1	A 0	<i>Grammonus ater</i> (Risso, 1810)
ONYCBAN	<i>Onychoteuthis banksii</i>	F	ONYCHO	C 0	<i>Onychoteuthis banksii</i> (Leach, 1817)
ONYCSPP	<i>Onychoteuthis spp</i>	F	ONYCHO	C 0	<i>Onychoteuthis</i> Lichtenstein, 1818
OPDIBAR	<i>Ophidion barbatum</i>	C	173.1.1	A 0	<i>Ophidion barbatum</i> Linnaeus, 1758
OPDIROC	<i>Ophidion rochei</i>	C	173.1.2+3	A 0	<i>Ophidion rochei</i> Müller, 1845
OPHCRUF	<i>Ophichthus rufus</i>	C	86.1.2	A 0	<i>Ophichthus rufus</i> (Rafinesque, 1810)
OPHISER	<i>Ophisurus serpens</i>	C	86.4.1	A 0	<i>Ophisurus serpens</i> (Linnaeus, 1758)
OPHOFRA	<i>Ophiothrix fragilis</i>	R	RIEDL	E 0	<i>Ophiothrix fragilis</i> (Abildgaard)
OPISSPP	<i>Opistobranchia</i> spp			E 0	<i>Opistobranchia</i> Milne-Edwards, 1848
OPLOSPP	<i>Oplophoridae</i>	Z Z		B m	<i>Oplophoridae</i> Dana, 1852
OPTOAGA	<i>Opistoteuthis agassizii</i>		FAUNA IBER	C m	<i>Opistoteuthis agassizii</i> Verrill, 1883
OSTREDU	<i>Ostrea edulis</i>	F	OSTR Ostr 1	D 0	<i>Ostrea edulis</i> Linnaeus, 1758
OSTRSPP	<i>Ostrea</i> spp.	R	RIEDL	E 0	<i>Ostrea</i> Linnaeus, 1758
OXYNCEN	<i>Oxynotus centrina</i>	C	15.1.1	A 0	<i>Oxynotus centrina</i> (Linnaeus, 1758)
PAGEACA	<i>Pagellus acarne</i>	C	139.7.2	A 0	<i>Pagellus acarne</i> (Risso, 1827)
PAGEBOG	<i>Pagellus bogaraveo</i>	C	139.7.3	A 0	<i>Pagellus bogaraveo</i> (Brünnich, 1768)
PAGEERY	<i>Pagellus erythrinus</i>	C	139.7.1	A 0	<i>Pagellus erythrinus</i> (Linnaeus, 1758)
PAGIERE	<i>Paguristes eremita</i>			B m	<i>Paguristes eremita</i> (Linnaeus, 1767)
PAGUALA	<i>Pagurus alatus</i>	Z Z		B m	<i>Pagurus alatus</i> (J.C. Fabricius, 1775)
PAGUCUA	<i>Pagurus cuanensis</i>			B m	<i>Pagurus cuanensis</i> Bell, 1845
PAGUEXC	<i>Pagurus excavatus</i>	Z Z		B m	<i>Pagurus excavatus</i> (Herbst, 1791)
PAGUFOR	<i>Pagurus forbesii</i>	Z Z		B m	<i>Pagurus forbesii</i> Bell, 1845
PAGUPRI	<i>Pagurus prideauxi</i>	Z Z		B m	<i>Pagurus prideauxi</i> Leach, 1815
PALIELE	<i>Palinurus elephas</i>	F	PALIN Palin 1	B m	<i>Palinurus elephas</i> (J.C. Fabricius, 1787)
PALIMAU	<i>Palinurus mauritanicus</i>	F	PALIN Palin 3	B m	<i>Palinurus mauritanicus</i> Gruvel, 1911
PALISPP	<i>Palinurus</i>	F	PALIN	B m	<i>Palinurus</i> Weber, 1795
PANDPRO	<i>Pandalina profunda</i>	F	PANDL	B m	<i>Pandalina profunda</i> Holthuis, 1946
PAPANAR	<i>Parapandalus narval</i>	F	PANDL Parapnd	B m	<i>Plesionika narval</i> (J.C. Fabricius, 1787)
PAPELON	<i>Parapenaeus longirostris</i>	F	PEN Parap 1	B m	<i>Parapenaeus longirostris</i> (Lucas, 1846)
PAPOHUM	<i>Parapristipoma humile</i>	C	136.3.1	A 0	<i>Parapristipoma humile</i> (Bowdich, 1825)
PAPOOCT	<i>Parapristipoma octolineatum</i>	C	136.3.2	A 0	<i>Parapristipoma octolineatum</i> (Valenciennes, 1833)
PARALEP	<i>Paraliparis leptochirus</i>	C	192.3.3	A 0	<i>Paraliparis leptochirus</i> (Tortonese, 1959)
PARLCOR	<i>Paralepis coregonoides</i>	C	63.1	A 0	<i>Paralepis coregonoides</i> Risso, 1820
PARLSPE	<i>Paralepis speciosa</i>	F	PARALEP	A 0	<i>Paralepis speciosa</i> Bellotti, 1878
PAROCUV	<i>Paromola cuvieri</i>	F	HOM Par 1	B m	<i>Paromola cuvieri</i> (Risso, 1816)
PARTANG	<i>Partenope angulifrons</i>	Z Z		B m	<i>Parthenope angulifrons</i> Latreille, 1825
PARTMAC	<i>Parthenope macrochelos</i>	Z Z		B m	<i>Parthenope macrochelos</i> (Herbst, 1790)
PARTMAS	<i>Parthenope massena</i>	Z Z		B m	<i>Parthenope massena</i> (P. Roux, 1830)
PASIMUL	<i>Pasiphaea multidentata</i>	F	PASI Pasi 1	B m	<i>Pasiphaea multidentata</i> Esmark, 1866
PASISIV	<i>Pasiphaea sivado</i>	F	PASI Pasi 2	B m	<i>Pasiphaea sivado</i> (Risso, 1816)
PECTJAC	<i>Pecten jacobaeus</i>	F	PECT Pect 1	D 0	<i>Pecten jacobaeus</i> (Linnaeus, 1758)
PECTMAX	<i>Pecten maximus</i>	F	PECT	D 0	<i>Pecten maximus</i> (Linnaeus, 1758)

Meditis Code	Scientific Name	Source	Reference	CATFAU CODEN	Valid Name (Ifremer reference)
PECTSPP	Pecten	F PECT	D 0	Pecten Müller O.F., 1776	
PELTATTR	Peltodoris atromaculata	R RIEDL	E 0	Discodoris atromaculata (Bergh, 1880)	
PENAKER	Penaeus kerathurus	F PEN Pen 1	B m	Penaeus kerathurus (Forskål, 1775)	
PENNPHO	Pennatula phosphorea		D 0	Pennatula phosphorea Linnaeus, 1758	
PERCGRA	Periclimenes granulatus	Z Z	B m	Periclimenes granulatus Holthuis, 1950	
PERICAT	Peristedion cataphractum	C 186.1.1	A 0	Peristedion cataphractum (Linnaeus, 1758)	
PHALGRA	Phallium granulatum	F CASS Phal 1	D 0	Phallium granulatum (Von Born, 1778)	
PHILECH	Philoceras echinulatus	F CRANG	B m	Philocheras echinulatus (M. Sars, 1861)	
PHRYREG	Phrynorhombus regius	C 195.3.1	A 0	Phrynorhombus regius (Bonnaterre, 1788)	
PHRYSPP	Phrynorhombus	C 195.3.1	A 0	Phrynorhombus Günther, 1862	
PHYIBLE	Phycis blennoides	C 101.15.2	A 0	Phycis blennoides (Brünnich, 1768)	
PHYIPHY	Phycis phycis	C 101.15.1	A 0	Phycis phycis (Linnaeus, 1766)	
PHYLTRU	Phylonotus (Murex)(=Trunculariopsis)	F MUR Phyl 1	D 0	Hexaplex trunculus (Linnaeus, 1758)	
PHYSDAL	Physiculus dalwigki	C 103.8.1	A 0	Physiculus dalwigki Kaup, 1858	
PILUSPI	Pilumnus spinifer	Z Z	B m	Pilumnus hirtellus forma spinifer H. Milne-Edwards, 1834	
PILUVIL	Pilumnus villosissimus	Z Z	B m	Pilumnus villosissimus (Rafinesque, 1814)	
PINNNOB	Pinna nobilis	F PINN Pinn 1	D 0	Pinna nobilis Linnaeus, 1758	
PINNPPEC	Pinna pectinata	R RIEDL	E 0	Atrina pectinata (Linnaeus, 1767)	
PINOPIN	Pinnotheres pinnotheres	Z Z	B m	Nepinnotheres pinnotheres (Linnaeus, 1758)	
PISAARN	Pisa armata	Z Z	B m	Pisa armata (Latreille, 1803)	
PISANOD	Pisa nodipes	Z Z	B m	Pisa nodipes (Leach, 1815)	
PISILON	Pisidia longicornis	Z Z	B m	Pisidia longicornis (Linnaeus, 1767)	
PLATFLE	Platichys flesus	C 197.8.1	A 0	Platichthys flesus (Linnaeus, 1758)	
PLEOMED	Plectorhinchus mediterraneus	C 136.4.1	A 0	Plectorhinchus mediterraneus (Guichenot, 1850)	
PLERMEC	Pleurobranchea meckely	R RIEDL	E 0	Pleurobranchaea meckelii Meckel, 1813	
PLESACA	Plesionika acanthonotus	Z Z	B m	Plesionika acanthonotus (S.I. Smith, 1882)	
PLESANT	Plesionika antigai	Z Z	B m	Plesionika antigai Zariquey-Alvarez, 1955	
PLESEDW	Plesionika edwardsii	F PANDL Plesio 2	B m	Plesionika narval (J.C. Fabricius, 1787)	
PLESGIG	Plesionika gigliolii	Z Z	B m	Plesionika gigliolii (Senna, 1902)	
PLESHET	Plesionika heterocarpus	F PANDL Plesio 8	B m	Plesionika heterocarpus (A. Costa, 1871)	
PLESMAR	Plesionika martia	F PANDL Plesio 1	B m	Plesionika martia martia (A. Milne-Edwards, 1883)	
PLEUPIL	Pleurobrachia pileus		E 0	Pleurobrachia pileus	
POLARIS	Polyacanthonotus rissoanus	C 89.2.1	A 0	Polyacanthonotus rissoanus (De Filippi & Verany, 1857)	
POLBHEN	Polybius henslowi	F PORT	B m	Polybius henslowii Leach, 1820	
POLCTYP	Polycheles typhlops	Z Z	B m	Polycheles typhlops Typhlops Heller, 1862	
POLYAME	Polypriion americanum	C 124.7.1	A 0	Polypriion americanus (Bloch & Schneider, 1801)	
POMABEN	Pomadasys incisus (bennetti)	C 136.1.1	A 0	Pomadasys incisus (Bowdich, 1825)	
POMSMAR	Pomatoschistus marmoratus	C 162.21.4	A 0	Pomatoschistus marmoratus (Risso, 1810)	
POMSMIC	Pomatoschistus microps	C 162.21.5	A 0	Pomatoschistus microps (Krøyer, 1838)	
POMSMIN	Pomatoschistus minutus	C 162.21.1	A 0	Pomatoschistus minutus (Pallas, 1770)	
POMTSAL	Pomatomus saltator	C 129.1.1	A 0	Pomatomus saltatrix (Linnaeus, 1766)	
PONIKUH	Pontinus kuhlii	C 184.3.1	A 0	Pontinus kuhlii (Bowdich, 1825)	
PONPNOR	Pontophilus norvegicus	Z Z	B m	Pontophilus norvegicus (M. Sars, 1861)	
PONPSPI	Pontophilus spinosus	F CRANG Pontop 1	B m	Pontophilus spinosus (Leach, 1815)	
		1			
PONTCAT	Pontocaris cataphractus	Z Z	B m	Aegaeon cataphractus (Olivi, 1792)	
PONTLAC	Pontocaris lacazei	F CRANG Pont 1	B m	Aegaeon lacazei (Gourret, 1887)	
PRIOGLA	Prionace glauca	C 13.8.1	A 0	Prionace glauca (Linnaeus, 1758)	
PROCEDU	Processa edulis	F PROC Proc 2	B m	Processa edulis crassipes Nouvel & Holthuis,	

FM list by alphabetic order of Genus and species codes

Annexe XV /XI

Meditis Code	Scientific Name	Source	Reference	CATFAU COLON	Valid Name (Ifremer reference)
1957					
PROCMED	Processa canaliculata (mediterranea)	F	PROC Proc 1	B m	Processa canaliculata Leach, 1815
PROCNOU	Processa nouveli	F	PROC	B m	Processa nouveli holthuisi Al-Adhub & Williamson, 1975
PROSSPP	Prosobranchia spp			E 0	Prosobranchia Milne Edwards, 1848
PSAMMIC	Psamechinus microtuberculatus	R	RIEDL	E 0	Psamechinus microtuberculatus
PSENPEL	Psenes pellucidus	C	177.3.2	A 0	Psenes pellucidus Lütken, 1880
PSETMAX	Psetta maxima	C	195.4.1	A 0	Psetta maxima (Linnaeus, 1758)
PSEVCAR	Pseudosimnia carnea		D'Angelo	E m	Pseudosimnia carnea (Poiret, 1789)
PTEAPEL	Pteragogus pelycus	X	X	A?	Pteragogus pelycus Randall, 1981
PTEOBOV	Pteromylaeus bovinus	C	23.2.1	A 0	Pteromylaeus bovinus (Geoffroy Saint-Hilaire, 1817)
PTERHIR	Pteria hirundo	F	PTER	D 0	Pteria hirundo (Linnaeus, 1758)
PUNTPUN	Diplodus (Puntazzo) puntazzo	C	137.8.1	A 0	Diplodus puntazzo (Cetti, 1777)
RAJAALB	Raja alba	C	21.1.18	A 0	Rostroraja alba (Lacepède, 1803)
RAJAAST	Raja asterias	C	21.1.2	A 0	Raja asterias Delaroche, 1809
RAJABAT	Raja batis	C	21.1.10	A 0	Dipturus batis (Linnaeus, 1758)
RAJABRA	Raja brachyura	C	21.1.3	A 0	Raja brachyura Lafont, 1873
RAJACIR	Raja circularis	C	21.1.14	A 0	Leucoraja circularis (Couch, 1838)
RAJACLA	Raja clavata	C	21.1.4	A 0	Raja clavata Linnaeus, 1758
RAJAFUL	Raja fullonica	C	21.1.13	A 0	Leucoraja fullonica (Linnaeus, 1758)
RAJAMEL	Raja melitensis	C	21.1.21	A 0	Leucoraja melitensis (Clark, 1926)
RAJAMIR	Raja miraletus	C	21.1.1	A 0	Raja miraletus Linnaeus, 1758
RAJAMON	Raja montagui	C	21.1.7	A 0	Raja montagui Fowler, 1910
RAJANAE	Raja naevus	C	21.1.15	A 0	Leucoraja naevus (Müller & Henle, 1841)
RAJAoxy	Raja oxyrinchus	C	21.1.12	A 0	Dipturus oxyrinchus (Linnaeus, 1758)
RAJAPOL	Raja polystigma	C	21.1.22	A 0	Raja polystigma Regan, 1923
RAJARDA	Raja radula	C	21.1.23	A 0	Raja radula Delaroche, 1809
RAJASPP	Raja	C	21.1.12	A 0	Raja Linnaeus, 1758
RAJAUND	Raja undulata	C	21.1.25	A 0	Raja undulata Lacepède, 1802
REGAGLE	Regalecus glesne	C	106.1.1.	A 0	Regalecus glesne Ascanius, 1772
RHINCEM	Rhinobatos cemiculus	C	19.1.2	A 0	Rhinobatos cemiculus Geoffroy Saint-Hilaire, 1817
RHINRHI	Rhinobatos rhinobatos	C	19.1.1	A 0	Rhinobatos rhinobatos (Linnaeus, 1758)
RHIPMAR	Rhinoptera marginata	C	24.1.1	A 0	Rhinoptera marginata (Geoffroy Saint-Hilaire, 1817)
RHYNHEP	Rhynchogadus hepaticus	C	103.9.1	A 0	Rhynchogadus hepaticus (Facciolà, 1884)
RICHFRE	Richardina fredericii	Z	Z	A 0	Richardina fredericii Lo Bianco, 1903
RISSDES	Rissoides desmarestii	F	SQUIL	D 0	Rissoides desmarestii (Risso, 1816)
RISSPAL	Rissooides pallidus	F	SQUIL	B m	Rissooides pallidus (Giesbrecht, 1910)
ROCHCAR	Rochinia carpenteri	Z	Z	B m	Rochinia carpenteri (Wyville & Thomson, 1873)
RONDMIN	Rondeletiola minor	F	SEPIOL	C 0	Rondeletiola minor (Naef, 1912)
ROSSMAC	Rossia macrosoma	F	SEPIOL Ross 1	C 0	Rossia macrosoma (Delle Chiaje, 1828)
SADASAR	Sarda sarda	C	158.4.1	A 0	Sarda sarda (Bloch, 1793)
SALOTRU	Salmo trutta trutta	C	45.1.2	A 0	Salmo trutta trutta Linnaeus, 1758
SARDPIL	Sardina pilchardus	C	33.3.1	A 0	Sardina pilchardus (Walbaum, 1792)
SARIAUR	Sardinella aurita	C	33.4.1	A 0	Sardinella aurita Valenciennes, 1847
SARIMAD	Sardinella maderensis	C	33.4.2	A 0	Sardinella maderensis (Lowe, 1838)
SARPSAL	Sarpa salpa	C	139.9.1	A 0	Sarpa salpa (Linnaeus, 1758)
SCAEUNI	Scaeurgus unicirrus	F	OCT Scae 1	C 0	Scaeurgus unicirrus (Delle Chiaje, 1838)
SCALSCA	Scalpelum scalpelum	R	Riedl	B m	Scalpellum scalpellum (Linnaeus, 1758)
SCAPNIG	Scaphander lignarius			D 0	Scaphander lignarius (Linnaeus, 1758)

Meditis Code	Scientific Name	Source	Reference	CATFAU CATFAU CODON	Valid Name (Ifremer reference)
SCHEOVA	Schedophilus ovalis	C	176.3.2	A 0	Schedophilus ovalis (Cuvier, 1833)
SCIAUMB	Sciaena umbra	C	137.1.1	A 0	Sciaena umbra Linnaeus, 1758
SCOBSAU	Scomberesox saurus	C	91.1.1	A 0	Scomberesox saurus saurus (Walbaum, 1792)
SCOHRHO	Scophthalmus rhombus	C	195.1.1	A 0	Scophthalmus rhombus (Linnaeus, 1758)
SCOMPNE	Scomber (Pneumatophorus) japonicus	C	156.1.2	A 0	Scomber japonicus Houttuyn, 1782
SCOMSCO	Scomber scombrus	C	156.1.1	A 0	Scomber scombrus Linnaeus, 1758
SCORELO	Scorpaena elongata	C	184.1.3	A 0	Scorpaena elongata Cadenat, 1943
SCORLOP	Scorpaena loppei	C	184.1.5	A 0	Scorpaena loppei Cadenat, 1943
SCORMAD	Scorpaena maderensis	C	184.1.6	A 0	Scorpaena madurensis Valenciennes, 1833
SCORNOT	Scorpaena notata	C	184.1.7	A 0	Scorpaena notata Rafinesque, 1810
SCORPOR	Scorpaena porcus	C	184.1.1	A 0	Scorpaena porcus Linnaeus, 1758
SCORSCO	Scorpaena scrofa	C	184.1.8	A 0	Scorpaena scrofa Linnaeus, 1758
SCYLARC	Scyllarus arctus	F	SCYL Scylr 1	B m	Scyllarus arctus (Linnaeus, 1758)
SCYLLAT	Scyllarides latus	F	SCYL Scyld 1	B m	Scyllarides latus (Latreille, 1803)
SCYLPYG	Scyllarus pygmaeus	F	SCYL Scylr 2	B m	Scyllarus pygmaeus (Bate, 1888)
SCYMLIC	Dalatias (Scymnorhinus) licha	C	16.4.3	A 0	Dalatias licha (Bonnaterre, 1788)
SCYOCAN	Scyliorhinus canicula	C	11.1.1	A 0	Scyliorhinus canicula (Linnaeus, 1758)
SCYOSTE	Scyliorhinus stellaris	C	11.1.2	A 0	Scyliorhinus stellaris (Linnaeus, 1758)
SEPENEG	Sepiella neglecta	F	SEPIOL	C 0	Sepiella neglecta Naef, 1916
SEPEOBS	Sepiella obscura	F	SEPIOL	C 0	Sepiella obscura Naef, 1916
SEPEOWE	Sepiella oweniana	F	SEPIOL	C 0	Sepiella oweniana (D'Orbigny, 1839)
SEPESPP	Sepiella spp.	F	SEPIOL	C 0	Sepiella Naef, 1912
SEPIELE	Sepia elegans	F	SEP Sep 3	C 0	Sepia elegans De Blainville, 1827
SEPIOFF	Sepia officinalis	F	SEP Sep 1	C 0	Sepia officinalis Linnaeus, 1758
SEPIORB	Sepia orbignyana	F	SEP Sep 4	C 0	Sepia orbignyana De Féussac, 1826
SEPISPP	Sepia	F	SEP Sep 1	C 0	Sepia Linnaeus, 1758
SEPOAFF	Sepiola affinis	F	SEPIOL	C 0	Sepiola affinis Naef, 1912
SEPOINT	Sepiola intermedia	F	SEPIOL	C 0	Sepiola intermedia Naef, 1912
SEPOLIG	Sepiola ligulata	F	SEPIOL	C 0	Sepiola ligulata Naef, 1912
SEPOROB	Sepiola robusta	F	SEPIOL	C 0	Sepiola robusta Naef, 1912
SEPORON	Sepiola rondeleti	F	SEPIOL	C 0	Sepiola rondeleti Leach, 1817
SEPOSPP	Sepiola spp	F	SEP	C 0	Sepiola Leach, 1817
SERAATTR	Serranus atricauda	C	124.1.2	A 0	Serranus atricauda Günther, 1874
SERACAB	Serranus cabrilla	C	124.1.1	A 0	Serranus cabrilla (Linnaeus, 1758)
SERAHEP	Serranus hepatus	C	124.1.3	A 0	Serranus hepatus (Linnaeus, 1758)
SERASCR	Serranus scriba	C	124.1.4	A 0	Serranus scriba (Linnaeus, 1758)
SERGARC	Sergestes arcticus	Z	Z	B m	Sergestes arcticus Krøyer, 1855
SERGROB	Sergestes robustus	Z	Z	B m	Sergestes robustus (S.J. Smith, 1882)
SERGSAR	Sergestes sargassi (= hensenii)	Z	Z	B m	Sergestes sargassi Ortmann, 1893
SERIDUM	Seriola dumerili	C	131.9.1	A 0	Seriola dumerili (Risso, 1810)
SOLEIMP	Solea impar	C	198.1.2	A 0	Solea impar Bennett, 1831
SOLEKLE	Solea kleini	C	198.1.3	A 0	Synaptura kleinii (Risso, 1827)
SOLELAS	Solea lascaris	C	198.1.4	A 0	Solea lascaris (Risso, 1810)
SOLESEN	Solea senegalensis	C	198.1.6	A 0	Solea senegalensis Kaup, 1858
SOLEVUL	Solea vulgaris	C	198.1.1	A 0	Solea solea (Linnaeus, 1758)
SOLOMEM	Solenocera membranacea	F	SOLENO Soleno B	m	Solenocera membranacea (Risso, 1816)
SPARAUR	Sparus aurata	C	139.1.1	A 0	Sparus auratus Linnaeus, 1758
SPARCAE	Pagrus (Sparus) coeruleostictus	C	139.11.2	A 0	Pagrus caeruleostictus (Valenciennes, 1830)
SPARPAG	Pagrus (Sparus) pagrus	C	139.11.3	A 0	Pagrus pagrus (Linnaeus, 1758)
SPHOCUT	Sphoeroides cutaneus	C	204.3.2	A 0	Sphoeroides pachygaster (Müller & Troschel, 1848)

Meditis Code	Scientific Name	Source	Reference	CATFAU COLON	Valid Name (Ifremer reference)
SPHYSFY	Sphyraena sphyraena	C	180.1.1	A 0	Sphyraena sphyraena (Linnaeus, 1758)
SPICFLE	Spicara flexuosa	C	141.2.2	A 0	Spicara maena (Linnaeus, 1758)
SPICMAE	Spicara maena	C	141.2.1	A 0	Spicara maena (Linnaeus, 1758)
SPICSMA	Spicara smaris	C	141.2.3	A 0	Spicara smaris (Linnaeus, 1758)
SPICSSPP	Spicara	C	141.2.3	A 0	Spicara Rafinesque, 1810
SPISSPP	Spisula spp	F	MACTR	E 0	Spisula Gray, 1837
SPISSUB	Spisula subtrucata	F	MACTR	E 0	Spisula subtruncata (Da Costa, 1778)
SPODCAN	Spondyliosoma cantharus	C	139.10.1	A 0	Spondyliosoma cantharus (Linnaeus, 1758)
SPRASPR	Sprattus sprattus	C	33.5.1	A 0	Sprattus sprattus sprattus (Linnaeus, 1758)
SQUAACA	Squalus acanthias	C	16.1.1	A 0	Squalus acanthias Linnaeus, 1758
SQUABLA	Squalus blainvillei	C	16.1.2	A 0	Squalus blainville (Risso, 1827)
SQUIMAN	Squilla mantis	F	SQUIL Squil 5	B m	Squilla mantis (Linnaeus, 1758)
SQUTACU	Squatina aculeata	C	17.1.2	A 0	Squatina aculeata Cuvier, 1829
SQUTOCL	Squatina oculata	C	17.1.3	A 0	Squatina oculata Bonaparte, 1840
SQUTSPP	Squatina spp	C	17.1	A 0	Squatina Duméril, 1806
SQUTSQU	Squatina squatina	C	17.1.1	A 0	Squatina squatina (Linnaeus, 1758)
STEPDIA	Stephanolepis diaspros	C	202.1.2	A 0	Stephanolepis diaspros Fraser-Brunner, 1940
STICREG	Stichopus regalis	F	STICH Stich 1	D 0	Eotichopus regalis
STOLLEU	Stoloteuthis leucoptera	F	SEPIOL	C 0	Stoloteuthis leucopterus (Verrill, 1878)
STOMBOA	Stomias boa	C	41.1.1	A 0	Stomias boa boa (Risso, 1810)
STROFIA	Stromateus fiatola	C	179.1.1	A 0	Stromateus fiatola Linnaeus, 1758
SUBECAR	Suberites carnosus			D 0	Suberites carnosus (Johnston, 1842)
SUBEDOM	Suberites domuncula			D 0	Suberites domuncula (Olivi, 1792)
SUBESPP	Suberites spp.			D 0	Suberites Nardo, 1833
SYMBVER	Symbolophorus veranyi	C	58.19.1	A 0	Symbolophorus veranyi (Moreau, 1888)
SYMDCIN	Sympodus cinereus	C	145.9.3	A 0	Sympodus cinereus (Bonnaterre, 1788)
SYMDMED	Sympodus mediterraneus	C	145.9.6	A 0	Sympodus mediterraneus (Linnaeus, 1758)
SYMDOCE	Sympodus ocellatus	C	145.9.9	A 0	Sympodus ocellatus (Forsskål, 1775)
SYMDROS	Sympodus rostratus	C	145.9.1	A 0	Sympodus rostratus (Bloch, 1791)
SYMDTIN	Sympodus tinca	C	145.9.12	A 0	Sympodus tinca (Linnaeus, 1758)
SYMPLIG	Syphurus ligulatus	C	199.2.2	A 0	Syphurus ligulatus (Cocco, 1844)
SYMPNIG	Syphurus nigrescens	C	199.2.1	A 0	Syphurus nigrescens Rafinesque, 1810
SYNDSAU	Synodus saurus	C	51.1.2	A 0	Synodus saurus (Linnaeus, 1758)
SYNGACU	Syngnathus acus	C	97.1.1	A 0	Syngnathus acus Linnaeus, 1758
SYNGPHL	Syngnathus phlegon	C	97.1.3.	A 0	Syngnathus phlegon Risso, 1827
SYNGTAE	Syngnathus taenionotus	C	97.1.6	A 0	Syngnathus taenionotus Canestrini, 1871
SYNGTYP	Syngnathus typhle	C	97.1.8	A 0	Syngnathus typhle Linnaeus, 1758
TAENGRA	Taeniura grabata	C	22.4.1	A 0	Taeniura grabata (Geoffroy Saint-Hilaire, 1817)
TELLSPP	Tellina spp	F	TELL	E 0	Tellina Linnaeus, 1758
TETHFIM	Tethys fimbria			C 0	Tethys fimbria Linnaeus, 1767
THAMPOI	Thalamita poissonii	Y	Y	B	Thalamita poissonii (Audouin, 1826)
TODASAG	Todarodes sagittatus	F	OMMAS Todarod	C 0	Todarodes sagittatus (Lamarck, 1798)
TODIEBL	Todaropsis eblanae	F	OMMAS Todarod	C 0	Todaropsis eblanae (Ball, 1841)
TORPMAR	Torpedo marmorata	C	20.1.2	A 0	Torpedo marmorata Risso, 1810
TORPNOB	Torpedo nobiliana	C	20.1.3	A 0	Torpedo nobiliana Bonaparte, 1835
TORPSPP	Torpedo	C	20.1.1	A 0	Torpedo Houyttyn, 1764
TORPTOR	Torpedo torpedo	C	20.1.1	A 0	Torpedo torpedo (Linnaeus, 1758)
TRACMED	Trachurus mediterraneus	C	131.10.3	A 0	Trachurus mediterraneus (Steindachner, 1868)
TRACPIC	Trachurus picturatus	C	131.10.4	A 0	Trachurus picturatus (Bowdich, 1825)
TRACTRA	Trachurus trachurus	C	131.10.1	A 0	Trachurus trachurus (Linnaeus, 1758)

Meditis Code	Scientific Name	Source	Reference	CATFAU	CODON	Valid Name (Ifremer reference)
				A	O	
TRAHARA	Trachinus araneus	C	148.1.2	A	0	Trachinus araneus Cuvier, 1829
TRAHDRA	Trachinus draco	C	148.1.1	A	0	Trachinus draco Linnaeus, 1758
TRAHRAD	Trachinus radiatus	C	148.1.3	A	0	Trachinus radiatus Cuvier, 1829
TRARTRA	Trachyrhynchus trachyrhynchus	C	99.1.1	A	0	Trachyrhynchus scabrus (Rafinesque, 1810)
TRAYCRI	Trachyscorpia cristulata	C	184.7.1	A	0	Trachyscorpia cristulata echinata (Koehler, 1896)
TRIGLUC	Trigla lucerna	C	185.1.2	A	0	Chelidonichthys lucernus (Linnaeus, 1758)
TRIGLYR	Trigla lyra	C	185.1.1	A	0	Trigla lyra Linnaeus, 1758
TRIILEP	Trichiurus lepturus	C	155.1.1	A	0	Trichiurus lepturus Linnaeus, 1758
TRIPLAS	Trigloporus lastoviza	C	185.5.1	A	0	Chelidonichthys lastoviza (Bonnaterre, 1788)
TRISCAP	Trisopterus minutus capelanus	C	101.11.1	A	0	Trisopterus minutus (Linnaeus, 1758)
TRISLUS	Trisopterus luscus	C	101.11.3	A	0	Trisopterus luscus (Linnaeus, 1758)
TRITNOD	Charonia (Triton) rubicunda (nodifer)	F	CYM Char 1	D	0	Charonia lampas (Linnaeus, 1758)
TURRCOM	Turritella communis	F	D12	E	0	Turritella communis Risso, 1826
TURRSIM	Turris similis		D'Angelo	E	0	Fusiturris similis (Bivona And., 1838)
TURRSPP	Turritella spp	F	TURR	D	0	Turritella Lamarck, 1799
UMBAMED	Umbraculum mediterraneum			E	0	Umbraculum umbraculum (Röding, 1798)
UMBRCAN	Umbrina canariensis	C	137.4.2	A	0	Umbrina canariensis Valenciennes, 1843
UMBRCIR	Umbrina cirrosa	C	137.4.1	A	0	Umbrina cirrosa (Linnaeus, 1758)
UMBRRON	Umbrina ronchus	C	137.4.3	A	0	Umbrina ronchus Valenciennes, 1843
UPENMOL	Upeneus moluccensis	X	X	A		Upeneus moluccensis (Bleeker, 1855)
URANSCA	Uranoscopus scaber	C	149.1.1	A	0	Uranoscopus scaber Linnaeus, 1758
VENUSPP	Venus spp.	F	VEN	D	0	Venus Linnaeus, 1758
VENUVER	Venus verrucosa	F	VEN Ven 1	D	0	Venus verrucosa Linnaeus, 1758
VINCATT	Vinciguerria attenuata	C	37.12.1	A	0	Vinciguerria attenuata (Cocco, 1838)
VINCPOW	Vinciguerria poweriae	C	37.12.3	A	0	Vinciguerria poweriae (Cocco, 1838)
XANTCOU	Medaeus (Xantho) couchi	Z	Z	B	m	Monodaeus couchi (Couch, 1851)
XENOCRI	Xenophora crispa	F	XENOPH	E	m	Xenophora crispa (Koenig, 1825)
XENOSPP	Xenophora spp	F	XENOPH	E	m	Xenophora Fischer Von Waldheim, 1807
XIPHGLA	Xiphias gladius	C	161.1.1	A	0	Xiphias gladius Linnaeus, 1758
ZEUSFAB	Zeus faber	C	120.1.1	A	0	Zeus faber Linnaeus, 1758
ZOSTOPH	Zosterisessor ophiocephalus	C	162.26.1	A	O	Zosterisessor ophiocephalus (Pallas, 1814)

Edited by



Institut français de recherche pour
l'exploitation de la mer
Rue de l'île d'Yeu
BP 21105
44311 Nantes cedex France

<http://www.ifremer.fr/docelec/default-en.jsp>