



Food and Agriculture Organization of the **United Nations** 

**General Fisheries Commission for** the Mediterranean

BlackSea4Fish

# > Marine sturgeon distribution, interactions with fisheries.

The case of the European sturgeon Acipenser sturio



**Eric Rochard** 

Eric.rochard@inrae.fr Research unit « Aquatic ecosystems and Global Changes » 50 avenue de Verdun 33612 Cestas France https://www6.bordeaux-aguitaine.inrae.fr/eabx/EABX/FREEMA





## • A. sturio a large diadromous sturgeon

- Reproduction in freshwater in spring
- Leaving the estuary from 3 years (ca 70 cm TL)
- Growing at sea with estuarine incursions
- Reproduction
  - Male > 10 years, 120 cm TL
  - Female > 15 years, 150 cm TL
- Maximum size > 350 cm TL



- Historically in Black sea rivers, secondly in Mediterranean (Pagés et al., 2009) and later in Atlantic and North Sea rivers (Chassaing et al. 2013, 2016, 2018)
- Overexploited species (caviar, 1920-1950) (Castelnaud, 2011; Williot & Castelnaud, 2011)
  - Most populations disappeared (Lassalle et al. 2011)
  - Only one remaining population, in the Gironde basin (Castelnaud et al. 1991)

## INRAØ



# > The Gironde population

Esturgeon européen

- IUCN Critically endangered
  - Limited historic knowledge (Magnin, 1962)
  - Fishing ban from 1982, expanded in 2004
    - Strictly protected species
  - Bern Convention Action plan (Rosenthal et al 2007), French and German Action Plans (Gessner et al, 2010; MEDD, 2011)
    - Monitoring of the population in the wild
    - Ex situ stock
      - 1.7 M juveniles stocked in rivers (2007-2014, 2022)
  - Survival in the wild is a key point for the success of this conservation

- Aufeuser Muno DOUBLE		
- Are pauser HVINO - Are pauser HVINO - Are pauser HVINO Laws - Are pauser Printon Laws - Brielogie - Conferentino Chimipue - Oscionegicalem RECHERCHES SUR LA SYSTEMATIQUE ET LA BIOLOGIE DES ACIPENSÉRIDÉS		
- Bidoci - trolope		
- rigration - Composition alimpue - Oscorepoteton		
RECHERCHES SUR LA SYSTÉMATIQUE		THE AND
ET LA BIOLOGIE DES ACIPENSÉRIDÉS		and the second
The second se		
Acipenser sturio L, Acipenser oxyrhynchus Mitchill		
et Acipenser fulvescens RAF		
par Étienne MAGNIN		
Laboratoire de Zoologie de la Facultă libre des Sciences de Lyon		
Laboratoire de Zoologie de la Faculté libre des Sciences de Uille		
AD		In the second
SV5. 34.		1 And
(Bis) Errolt		and the
des Annales de la Station Centrole d'Hydrobiologie Appliquée		
TOHE ?		
PARIS		
IMPRIMERIE NATIONALE		
1962		
A DESCRIPTION OF A	1	









# > In the Gironde estuary

Esturgeon européen

• We monitor sturgeons every two months by trawling (habitats, life traits, diet, health...)







(2009-2022)
1520 trawling tows
⇒ 494 captures *A. sturio*



Most of their life span

At sea

- Rare fish, sparse
- Very limited historic knowledge
- Limited biomonitoring tools (DST, Pop up tags)
  - Expensive
  - Unsecured data







# To get information at sea and to limit mortality



- All sampled fish in estuary are tagged (pit +external) Esturgeon européen
  - We set up a network of partners (fishers, marine labs, aquariums...) to gather information about sturgeon at sea (Castelnaud, 1988)
  - In cooperation with commercial fishermen associations we have developed numerous tools to aware fishers and auctions staff about the protected status of this species and to get information from bycatch





## INRA

Plan National d'Actions 2020-2029

## SturWILD© INRAE



Esturgeon européen

- A data base platform to record observations about sturgeons at sea (by catch, corpses...)
  - Voluntary declarations (1981-2022, N=1148)
    - Location and date of capture
    - Tag?
    - Length, weight
    - Healthy or injured
    - Fate of the fish (released alive, released dead, sold; seizure...)
    - Fishing gear, mesh size
    - Target species
    - ...
  - Historically by post mail and now by mail through their associations or directly on website <u>www.sturio.fr</u>

POTESON - ESTURGEON
CHUSTACE -
CAUGTACE - 1 M 10 LONCUEUR - 12K 400
POIDS - 12K 400
MARQUES - Cemagnel - france Nº 0400
LIEU DE PECHE -
LATITUDE
LONGITUDE
HAUTEUR D'EAU -
ENGIN DE PECHE = Filet grand Maillage
-0
NOM DU BATEAU .
N° & QUARTIER -
NOM DU PATRON -
ADRESSE DU PATRON -
JUSZO PORT. EN. BRESSIN HUPPAIN
-0
JOINDRE OBLIGATOIREMENT LA MARQUE QUI STAIT AGRAPSE AU POISSON OU AU CRUSTACE CAPTURE.
OU AU CRUSTAUS CAPTURS,
-0
1. Port-en Bessin10, 25,96.1992



Plan National d'Actions 2020-2029

Esturgeon européen


















(France, July 2013)

















(Norway, Dec. 2016)






(UK)

GFCM online meeting, March 27 2023 Sturgeons in the Black Sea

INRAe






#### INRAC

GFCM online meeting, March 27 2023 Sturgeons in the Black Sea







Caught in a gill net, good condition, released alive



p. 10



A decreasing rate of fish declared dead (Rochard et al 1997, Lepage & Rochard 2011)




2 Plan National d'Actions 2020-2029

## > Distribution

Esturgeon européen

Information about 1828 individuals (2006-2021) Bycatch N= 1824 Corpses on shore N=4

Thanks to cooperation with NGO, scientist and fishermen association in France, Belgium, Germany, Denmark, Norway, Spain, Portugal and UK





 $\wedge$ 

Charbonnel & Acolas 2022

GFCM online meeting, March 27 2023 Sturgeons in the Black Sea

INRA



# > Some ideas from bycatch declarations

Esturgeon européen


- The number of sturgeon by-catch declared is a combined response of several factors:
- (1) the abundance of sturgeon at sea, which mainly depends on the strength of the cohorts (huge increase after stockings of 1,7M ind. 2007-2014)
- (2) the areas frequented and the gear used to target fish (we assume it has not changed during the study period
- (3) tagged fish are overrepresented in declarations,
  - Tag induces a different behaviour of the fishermen, a certain protection...
- (4) the interest in cooperation of the fishermen
  - As the species is locally rare but the fishermen not aware about its status => very low
  - As the species is rare but fishermen informed => increase with awareness effort
  - When the local abundance increase, even with informed fishermen => decrease with lassitude
  - When there is a conflict between fisheries administration and fishermen => drastic decrease even when no direct link with sturgeon conservation
  - Decrease with the time, it is crucial to regularly repeat awareness campaigns

GFCM online meeting, March 27 2023 Sturgeons in the Black Sea

INRAe

## > Sturgeons' marine habitats

FACADE ATLANTIQUE FRANCAISE, MANCHE-MER DU NORD Modélisation de l'habitat favorable à l'esturgeon européen sur la période 2012-2021





Estuarine, Coastal and Shelf Science Available online 1 November 2022, 108136 In Press, Journal Pre-proof (?)



Developing species distribution models for critically endangered species using participatory data: The European sturgeon marine habitat suitability

Anaïs Charbonnel \* 🙁 🖾 , Patrick Lambert \*, Géraldine Lassalle \*, Eric Quinton \*, Antoine Guisan <sup>b</sup>, Lise Mas <sup>c</sup> , Guillaume Paquignon <sup>d</sup>, Marie Lecomte <sup>c</sup>, Marie-Laure Acolas <sup>a</sup>

## INRAe

Plan National d'Actions

2020-2029



## > Fate of the fish?

Esturgeon européen

When fish are landed it's too late!

Some fish have been sold quite officially, even whereas species were strictly protected

- To increase information of fishers, auction staff, fisheries officers (Guth & Laurent 2004)
- And scientists !

## Vangst GO 26 voor LJmuiden Forse steur voor de consumptie

UMUIDEN – Vorige week vrijdag werd op de afslag van Umuiden een forse steur ter verkoop aangeboden. De vis werd gekocht door de firma Gebr. Bakker, in commissie voor horecagroothandel ISPC.

Steuren kunnen tot zes meter lang worden. Zo lang was het door de GO 26 van Lokker gevangen exemplaar zeker niet, maar met zeker en meter lengte en een gewicht van 33 kilo mocht de vis er zijn. Bigtonder aan de primitief ogende vis is met name de uistulphare bek omringd door zachtie 'tander', waarmed de vis wormen en andere bodemoganismen uit de goon dgaard. De vis kwam vorige week donderdag in het net. Volgens schipper Ger



INRA







#### Sturgeon caught off Newhaven offered to Her Majesty the Queen

While out fishing from Newhaven in East Sussex, on his boat Bounty Hunter RX 448, fisherman Daniel Rathbone was somewhat surprised to see a 14kg sturgeon in his net, reports **John Periam**.

"I have been fishing here most of my life and this was very much a first for us. My crew Pat O'Gorman and Stefan Bryant were as surprised as I was, when we saw this head looking at us from the net.

"Back on shore we took it to local fish wholesaler MCB Seafoods at Newhaven where Mike Bish suggested we offer it to Her Majesty the Queen. Her office responded with grateful 'no', but suggested it could be sold, and the money given to charity'.







UNION EUROPEENNE Fonds Européen de développement Régional



Liberté Égalité Fraternité











































EUROPEAN COMMISSION DIRECTORATE-GENERAL ENVIRONMENT Biodiversity Nature Conservation

Subject: Request to provide information to complete the tasks of the contract "Supporting Conservation Actions to Implement the Pan-European Sturgeon Action Plan"

- 3. carrying out a study on protecting sturgeons from by-catch
- Set up a group of experts: by catch experts X sturgeon experts (Europe and North America)
- Gather knowledge on sturgeon bycatch (Atlantic, Baltic, Mediterranean, Black sea)
- Propose measures to reduce bycatch or least to reduce consequences of bycatch
- Meeting(s) online in the first half of September
- Report by the end of the year

If interested to contribute to this work, in one way or another, let me know.



# Thank you for your attention